



COLLECTIONS 2026

INDICE INDEX

INDICE IN ORDINE ALFABETICO INDEX IN ALPHABETICAL ORDER

PAVIMENTI E RIVESTIMENTI FLOOR AND WALL TILES	RIVESTIMENTI WALL TILES
Ardesia OUT 120x120 . 60x120 . 80x80 . 60x60 . 30x60 . 10x3076	Clay 30x90156
Atelier 30x120 . 20x120128	Eternal 30x90168
Bernina OUT 20x40102	Malena 25x60184
Canazei OUT 30x120 . 20x120138	Quarry 30x90176
Clay OUT 60x120 . 10x120 . 60x60 . 10x60 . 30x60 . 30x30 . 10x3018	Sostanza 20x60188
Concrete 60x6040	
Dream 60x12006	
Echo OUT 20x4096	
Eternal OUT 60x120 . 60x60 . 30x60 . 10x3030	
Kazane OUT 60x120 . 60x60 . 30x60 . 30x30 . 10x3046	
Laguna OUT 30x120 . 20x120148	
Legend OUT 60x120 . 60x60 . 30x60 . 30x30 . 10x3066	
Marmi Pregiati 60x120 . 60x60 . 10x3086	
Merano OUT 25x50 . 25x25108	
Pietre Italiane OUT 60x90 . 40x60 . 40x40 . 20x40 . 20x20112	
Quarry OUT 60x120 . 80x80 . 60x60 . 30x60 . 10x3056	
Quasar OUT 30x60 . 20x40124	
	INFO TECNICHE TECHNICAL INFO
	Codici pezzi speciali Special trims codes192
	Suggerimenti di posa Laying suggestions194
	Caratteristiche tecniche Technical features196
	Condizioni generali di vendita General sale conditions198
	Istruzioni per la cura e la manutenzione Care and maintenance instructions200
	Posa sopraelevata installation onto flat surfaces (raised laying)202
	Certificazioni Certifications204

INDICE INDEX

INDICE PER EFFETTO INDEX BY LOOK

STONE		
Ardesia 	120x120 . 60x120 . 80x80 . 60x60 . 30x60 . 10x30	76
Bernina 	20x40	102
Echo 	20x40	96
Kazane 	60x120 . 60x60 . 30x60 . 30x30 . 10x30	46
Legend 	60x120 . 60x60 . 30x60 . 30x30 . 10x30	66
Merano 	25x50 . 25x25	108
Pietre Italiane 	60x90 . 40x60 . 40x40 . 20x40 . 20x20	112
Quarry 	60x120 . 80x80 . 60x60 . 30x60 . 10x30	56
Quasar 	30x60 . 20x40	124
CONCRETE & RESIN		
Clay 	60x120 . 10x120 . 60x60 . 10x60 . 30x60 . 30x30 . 10x30	18
Concrete	60x60	40
Eternal 	60x120 . 60x60 . 30x60 . 10x30	30
WALLPAPERS		
Dream	60x120	06

MARBLE		
Marmi Pregiati	60x120 . 60x60 . 10x30	86
WOOD		
Atelier	30x120 . 20x120	128
Canazei 	30x120 . 20x120	138
Laguna 	30x120 . 20x120	148
CHROMATIC		
Clay	30x90	156
Eternal	30x90	168
Malena	25x60	184
Quarry	30x90	176
Sostanza	20x60	188

INDICE INDEX

INDICE PER FORMATO INDEX BY SIZES

120x120		
Ardesia		76
60x120		
Ardesia		76
Clay 		18
Dream		06
Eternal 		30
Kazane 		46
Legend 		66
Marmi Pregiati		86
Quarry		56

30x120		
Atelier		128
Canazei		138
Laguna		148

20x120		
Atelier		128
Canazei 		138
Laguna 		148
10x120		
Clay		18
80x80		
Ardesia		76
Quarry		56

60x60		
Ardesia 		76
Clay 		18
Concrete		40
Eternal 		30
Kazane 		46
Legend 		66
Marmi Pregiati		86
Quarry 		56

30x60		
Ardesia		76
Clay 		18
Eternal 		30
Kazane 		46
Legend 		66
Quarry 		56
Quasar 		124

10x60		
Clay		18

30x30		
Clay		18
Kazane		46
Legend		66

10x30		
Ardesia		76
Clay		18
Eternal		30
Kazane		46
Legend		66
Marmi Pregiati		86
Quarry		56

60x90		
Pietre Italiane 		112
40x60		
Pietre Italiane 		112
40x40		
Pietre Italiane		112
20x40		
Bernina 		102
Echo 		96
Pietre Italiane		112
Quasar 		124

20x20		
Pietre Italiane		112

25x50		
Merano 		108


25x25		
Merano 		108

30x90		
Clay		156
Eternal		168
Quarry		176

25x60		
Malena		184

20x60		
Sostanza		188

LETTURA DEL CATALOGO
READING THE CATALOGUE



- 1 Serie
Collection
- 2 Tipologia prodotto
Product type
- 3 Simbologia
Symbols
- 4 Gamma colori
Color range
- 5 Formati
Sizes

SIMBOLOGIA SYMBOLS

Variazione cromatica
Chromatic variation

- V1

Aspetto uniforme.
Uniform appearance.
- V2

Lieve variazione.
Light variation.
- V3

Marcata variazione.
Significant variation.
- V4

Forte variazione.
Strong variation.

Grado di scivolosità
Slip rate

- R9
- R10

In funzione dell'ambiente
o della zona di lavoro.
According to environment
or working area.
- R11
- OUT

Superfici Outdoor
Outdoor surfaces

Altre caratteristiche
More features


- Pavimento
Floor
- Rivestimento
Wall
- Spessore
Thickness
- INK-JET
DIGITAL
technology

Tecnologia digitale.
Digital technology.
- Resistenza al gelo
Frost resistance
- PEI


Resistenza all'abrasione
Abrasion resistance

3÷5
according
to shade

LETTURA DEL CATALOGO
READING THE CATALOGUE



- 6 Fondi
Plain Tiles
- 7 Pezzi speciali
Special trims
- 8 Imballi
Packaging
- 9 Mosaici e decori
Mosaics and decors
- 10 Descrizione
Description
- 11 Numero di grafiche differenti
Number of different patterns



- 12 Formato
Size
- 13 Codice
Code
- 14 Pezzi per scatola
Pieces per box
- 15 Categoria prezzo *
Price code
- 16 Colori
Colors
- 17 Finitura Grip disponibile
Grip finish available

*Lettura listino Price list indications

- 000

Prezzo al mq
Price per sqm
- 000

Prezzo al pezzo
Price per piece



DREAM

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile

FORMATI SIZES



60x120 24"x48"
Rectified
± 9,5 mm
R10 Circle, Round, Ruins
R9 Blocks, Bloom, Dandelion, Leaf, Wall

COLORI
COLORS



BLOCKS



BLOOM



CIRCLE



DANDELION



WALL



LEAF



ROUND



RUINS

FLOOR
Eternal Olive 60x120
WALL
Dream Blocks 60x120



DREAM

FLOOR
Eternal Blue 60x120
WALL
Dream Round 60x120

DREAM

FLOOR
Quarry Beige 60x120
WALL
Dream Leaf 60x120



WALL
Dream Dandelion 60x120

FLOOR
Canazei Light 20x120
WALL
Dream Circle 60x120



DREAM

FLOOR
Canazei Amber 20x120
WALL
Dream Bloom 60x120

DREAM

FLOOR
Ardesia Beige 60x120
WALL
Dream Wall 60x120



FLOOR
Legend Beige 60x120
WALL
Dream Ruins 60x120



DREAM


Gres porcellanato smaltato Glazed porcelain tile



8002776 Blocks
60x120 24"x48"
Rectified R9
± 9,5 mm
2x  **179**

3 Printings





8002775 Round
60x120 24"x48"
Rectified R10
± 9,5 mm
2x  **179**

3 Printings





8002774 Circle
60x120 24"x48"
Rectified R10
± 9,5 mm
2x  **147**

3 Printings






8002773 Leaf
60x120 24"x48"
Rectified R9
± 9,5 mm
2x  **179**

3 Printings





8002777 Wall
60x120 24"x48"
Rectified R9
± 9,5 mm
2x  **179**

3 Printings





8002780 Dandelion
60x120 24"x48"
Rectified R9
± 9,5 mm
2x  **179**

3 Printings





8002778 Ruins
60x120 24"x48"
Rectified R10
± 9,5 mm
2x  **147**

3 Printings





8002779 Bloom
60x120 24"x48"
Rectified R9
± 9,5 mm
2x  **179**

3 Printings



DESTINAZIONI D'USO DESTINATIONS OF USE



A RIVESTIMENTO per tutte le desinazioni d'uso: commerciale e residenziale.
TO WALL TILES for all destinations of use: commercial and residential.



CALPESTIO LEGGERO.
LIGHT TRAFFIC.



CALPESTIO MEDIO.
MEDIUM TRAFFIC.

DREAM

Gres porcellanato smaltato Glazed porcelain tile



8002776 Blocks
60x120 24"x48"
Rectified R9
± 9,5 mm
2x  **179**

3 Printings





8002777 Wall
60x120 24"x48"
Rectified R9
± 9,5 mm
2x  **179**

3 Printings





8002778 Ruins
60x120 24"x48"
Rectified R10
± 9,5 mm
2x  **147**

3 Printings





8002780 Dandelion
60x120 24"x48"
Rectified R9
± 9,5 mm
2x  **179**

3 Printings



Per tutti i decori posa consigliata con fuga 2 mm. La ripresa grafica tra i decori può avere una tolleranza contenuta in 2 cm.
For all decorations recommended installation with 2 mm joint. The tile graphic between the decorations can have a tolerance included in 2 cm.


DREAM	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
60x120 24"x48" Rectified R9/R10	2	1,44	29,60	36	51,84	1080,00

CLAY

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile




FORMATI SIZES



60x120 24"x48"
Rectified
± 9,5 mm R10/R11



10x120 4"x48"
Rectified
± 9,5 mm R10



60x60 24"x24"
Rectified
± 9 mm R10/R11



10x60 4"x24"
Rectified
± 9 mm R10



30x60 12"x24"
Rectified
± 9 mm R10/R11



10x30 4"x12"
Rectified
± 9 mm R10




30x30 12"x12"
Rectified
± 9 mm R10

COLORI COLORS



PALE




RAW



RUST



SMOKE



IRON



FLOOR
Clay Pale 30x60-R11
WALL
Clay Pale 10x60



CLAY

FLOOR
Clay Raw 60x120





CLAY

FLOOR

Clay Iron 60x120

WALL

Clay Iron Esagona T16 29x25



FLOOR

Clay Smoke 60x120

WALL


Clay Smoke Mosaico 5x5 30x30

ETERNAL

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



60x120 24"x48"
Rectified
± 9,5 mm R10/R11

60x60 24"x24"
Rectified
± 9 mm R10/R11



30x60 12"x24"
Rectified
± 9 mm R10/R11



10x30 4"x12"
Rectified
± 9 mm R10

COLORI
COLORS



WHITE



BEIGE



OLIVE



BLUE



GREY

FLOOR
Eternal Grey 60x120
WALL
Eternal Grey 30x90
Eternal Blue 30x90



ETERNAL

FLOOR
Eternal White 60x120
WALL
Eternal Blue 60x120



ETERNAL

FLOOR
Eternal Beige
60x120 R11



FLOOR
Eternal Olive 60x120
WALL
Eternal Olive 30x90



ETERNAL

Gres porcellanato smaltato Glazed porcelain tile

WHITE

BEIGE


OLIVE

BLUE

GREY

FORMATI SIZES

60x120 24"x48"



Rectified R10
± 9,5 mm
2x📦
147

8002688
8002692
8002690
8002689
8002691

White
Grey
Beige
Olive
Blue


Rectified R11
± 9,5 mm
2x📦
147

8002693
8002695
8002694

White
Grey
Beige

OUT

60x60 24"x24"



Rectified R10
± 9 mm
3x📦
137

8002716
8002717
8002718

White
Grey
Beige

Rectified R11
± 9 mm
3x📦
137

8002719
8002720
8002721

White
Grey
Beige

OUT

30x60 12"x24"



Rectified R10
± 9 mm
6x📦
137

8002722
8002723
8002724

White
Grey
Beige

Rectified R11
± 9 mm
6x📦
137

8002725
8002726
8002727

White
Grey
Beige

OUT

10x30 4"x12"



Rectified R10
± 9 mm
32x📦
147 *

8003195
8003192
8003189

White
Grey
Beige


* Vendita su ordinazione.
Available upon request.

ETERNAL

Gres porcellanato smaltato Glazed porcelain tile

DECORI DECORS

30x30 12"x12"



Mosaico 5x5 su rete
5x📦
17 *

8003209
8003207
8003205
8003208
8003206

White
Grey
Beige
Olive
Blue


* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.

PEZZI SPECIALI SPECIAL TRIMS


Disponibili in tutti i colori Available in all colors



Battiscopa Digitale
Skirting
6x60 2.4"x24"
15x📦
26



Gradino Lineare Costa Retta
Step
33x120x3 13"x48"x1.2"
2x📦
188 *



Angolare Costa Retta
Corner Step
33x120x3 13"x48"x1.2"
2x📦
Angolare DX/SX 194 *
Angolare DX 189 *
Angolare SX 189 *



Guarda la tabella completa dei pezzi speciali a pagina 192
View the complete special trims tabel at page 192

* Vendita su ordinazione.
Available upon request.



Guarda la gamma Eternal 30x90 rivestimento a pagina 168
View the wall tile Eternal 30x90 range at page 168


ETERNAL	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
60x120 24"x48" Rectified R10/R11	2	1,44	29,60	36	51,84	1080,00
60x60 24"x24" Rectified R10/R11	3	1,08	21,30	40	43,20	852,00
30x60 12"x24" Rectified R10/R11	6	1,08	21,00	48	51,84	1008,00
10x30 4"x12" Rectified R10	32	0,96	19,30	36	34,56	694,80

CONCRETE

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES




60x60 24"x24"
Rectified
± 9 mm R10

COLORI
COLORS



BEIGE



GRIGIO

CONCRETE

FLOOR
Concrete Beige 60x60



FLOOR
Concrete Grigio 60x60




CONCRETE

Gres porcellanato smaltato Glazed porcelain tile

FORMATI SIZES

60x60 24"x24"



Rectified R10
± 9 mm
3x **100**

8002620
8002621

Beige
Grigio

BEIGE

GRIGIO

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors



Battiscopa Digitale
Skirting
6x60 2.4"x24"
15x **26**



Guarda la tabella completa
dei pezzi speciali a pagina 192
View the complete special
trims tabel at page 192

CONCRETE	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
60x60 24"x24" Rectified R10	3	1,08	20,90	40	43,20	851,99

CONCRETE

Gres porcellanato smaltato Glazed porcelain tile



FLOOR
Concrete Beige 60x60

KAZANE

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile





INK-JET
DIGITAL
technology





V3

PEI
3÷5


R10

R11

FORMATI SIZES



60x120 24"x48"
Rectified
± 9,5 mm R10/R11



60x60 24"x24"
Rectified
± 9 mm R10/R11



30x60 12"x24"
Rectified
± 9 mm R10/R11



30x30 12"x12"
Rectified
± 9 mm R10



10x30 4"x12"
Rectified
± 9 mm R10

COLORI
COLORS





FLOOR
Kazane Sand 60x60
WALL
Kazane Sand 60x120
Sand Esagona T16 29x25



KAZANE

WALL Kazane Sand 60x120
FLOOR Kazane Sand 30x60 R11

KAZANE

FLOOR/WALL

Kazane Soil 60x120



FLOOR

Kazane Onyx 60x120



WALL

Kazane Onyx Mosaico 5x5 30x30



KAZANE

Gres porcellanato smaltato Glazed porcelain tile

CHALK	FORMATI SIZES			
	60x120 24"x48"	Rectified R10 ± 9,5 mm 2x📦 147	Rectified R11 ± 9,5 mm 2x📦 147	OUT
		8005282 8005283 8005284 8005285	Chalk Sand Soil Onyx	8005286 8005287 Chalk Sand
SAND	60x60 24"x24"	Rectified R10 ± 9 mm 3x📦 137	Rectified R11 ± 9 mm 3x📦 137	OUT
		8005288 8005289 8005290 8005291	Chalk Sand Soil Onyx	8005292 8005293 Chalk Sand
SOIL	30x60 12"x24"	Rectified R10 ± 9 mm 6x📦 137	Rectified R11 ± 9 mm 6x📦 137	OUT
		8005294 8005295 8005296 8005297	Chalk Sand Soil Onyx	8005298 8005299 Chalk Sand
ONYX	30x30 12"x12"	Rectified R10 ± 9 mm 12x📦 147 *		
		8005300 8005301 8005302 8005303	Chalk Sand Soil Onyx	
	10x30 4"x12"	Rectified R10 ± 9 mm 32x📦 147 *		
		8005304	Chalk	


* Vendita su ordinazione.
Available upon request.

KAZANE

Gres porcellanato smaltato Glazed porcelain tile

DECORI DECORS

30x30 12"x12"



Mosaico 5x5 su rete

5x

17

*

8005308

8005309

8005310

8005311

Chalk

Sand

Soil

Onyx

* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.

29x25 11.5"x10"



Mosaico Esagona T16 su rete

6x

60

*

8005312

8005313

8005314

8005315

Chalk

Sand



Soil

Onyx

* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors

			 Guarda la tabella completa dei pezzi speciali a pagina 192 View the complete special trims tabel at page 192
Battiscopa Digitale Skirting 6x60 2.4"x24" 15x📦 26	Gradino Lineare Costa Retta Step 33x120x3 13"x48"x1.2" 2x📦 188 *	Angolare Costa Retta Corner Step 33x120x3 13"x48"x1.2" 2x📦 Angolare DX/SX 194 * Angolare DX 189 * Angolare SX 189 *	


* Vendita su ordinazione.
Available upon request.

QUARRY


PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile




FORMATI SIZES



60x120 24"x48"
Rectified
± 9,5 mm R10




80x80 32"x32"
Rectified
± 9 mm R10



60x60 24"x24"
Rectified
± 9 mm R10/R11



30x60 12"x24"
Rectified
± 9 mm R10/R11



10x30 4"x12"
Rectified
± 9 mm R10


COLORI COLORS



WHITE



GREY



BEIGE



DARK

QUARRY

FLOOR Quarry Beige 60x120 | WALL Quarry Beige 60x120



QUARRY

FLOOR

Quarry Dark
60x60 R11



FLOOR

Quarry Grey 60x120

WALL

Quarry Sphere 30x90



QUARRY

FLOOR Quarry White 60x120 | WALL Quarry Sphere 30x90



QUARRY

Gres porcellanato smaltato Glazed porcelain tile

WHITE	FORMATI SIZES			
	60x120 24"x48"	Rectified R10 ± 9,5 mm 2x📦 147	8003047 8003031 8003039 8003024	Dark Beige Grey White
GREY	80x80 32"x32"	Rectified R10 ± 9 mm 2x📦 147	8003051 8003034 8003042 8003027	Dark Beige Grey White
BEIGE	60x60 24"x24"	Rectified R10 ± 9 mm 3x📦 137	8003050 8003033 8003041 8003026	Dark Beige Grey White
		Rectified R11 ± 9 mm 3x📦 137	8003052 8003035 8003043 8003028	Dark Beige Grey White
DARK	30x60 12"x24"	Rectified R10 ± 9 mm 6x📦 137	8003046 8003030 8003038 8003022	Dark Beige Grey White
		Rectified R11 ± 9 mm 6x📦 137	8003049 8003036 8003044 8003023	Dark Beige Grey White
	10x30 4"x12"	Rectified R10 ± 9 mm 32x📦 147 *	8003048 8003032 8003040 8003025	Dark Beige Grey White
				* Vendita su ordinazione. Available upon request.

QUARRY

Gres porcellanato smaltato Glazed porcelain tile

DECORI DECORS			
30x30 12"x12"	Mosaico 5x5 su rete 5x📦 17 *	8003053 8003037 8003045 8003029	Dark Beige Grey White
			* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.
PEZZI SPECIALI SPECIAL TRIMS			
Disponibili in tutti i colori Available in all colors			
Battiscopa Digitale Skirting 6x60 2.4"x24" 15x📦 26	Battiscopa Digitale Skirting 6x80 2.4"x32" 8x📦 44	Gradino Lineare Costa Retta Step 33x120x3 13"x48"x1.2" 2x📦 188 *	Angolare Costa Retta Corner Step 33x120x3 13"x48"x1.2" 2x📦 Angolare DX/SX 194 * Angolare DX 189 * Angolare SX 189 *
			Guarda la tabella completa dei pezzi speciali a pagina 192 View the complete special trims tabel at page 192
			* Vendita su ordinazione. Available upon request.

📖 Guarda la gamma Quarry 30x90 rivestimento a pagina 176
View the wall tile Quarry 30x90 range at page 176


QUARRY	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
60x120 24"x48" Rectified R10	2	1,44	29,60	36	51,84	1080,00
80x80 32"x32" Rectified R10	2	1,28	24,96	40	51,20	998,40
60x60 24"x24" Rectified R10/R11	3	1,08	21,30	40	43,20	852,00
30x60 12"x24" Rectified R10/R11	6	1,08	21,00	48	51,84	1008,00
10x30 4"x12" Rectified R10	32	0,96	19,30	36	34,56	694,80

LEGEND


PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



60x120 24"x48"
Rectified
± 9,5 mm R10/R11



60x60 24"x24"
Rectified
± 9 mm R10/R11



30x60 12"x24"
Rectified
± 9 mm R10/R11



30x30 12"x12"
Rectified
± 9 mm R10




10x30 4"x12"
Rectified
± 9 mm R10

COLORI COLORS



WHITE



BEIGE



GREY



ANTRACITE

FLOOR
Legend Beige 60x60
WALL
Legend Beige 60x120
Legend Beige Esagona T16 29x25



LEGEND

FLOOR
Legend Beige 60x120 R10/R11



LEGEND


FLOOR
Legend Grey 60x120
WALL
Legend Grey 10x30



FLOOR
Legend White R11
60x60 - 30x60

LEGEND

Gres porcellanato smaltato Glazed porcelain tile

WHITE	FORMATI SIZES			
	60x120 24"x48" 9 Printings 	Rectified R10 ± 9,5 mm 2x📦 147 8002782 White 8002783 Grey 8002784 Beige 8002785 Antracite	Rectified R11 ± 9,5 mm 2x📦 147 8002786 White 8002787 Grey 8002788 Beige	OUT
BEIGE	60x60 24"x24" 18 Printings 	Rectified R10 ± 9 mm 3x📦 137 8002798 White 8002799 Grey 8002800 Beige 8002801 Antracite	Rectified R11 ± 9 mm 3x📦 137 8002802 White 8002803 Grey 8002804 Beige	OUT
	GREY	30x60 12"x24" 	Rectified R10 ± 9 mm 6x📦 137 8002805 White 8002806 Grey 8002807 Beige 8002808 Antracite	Rectified R11 ± 9 mm 6x📦 137 8002809 White 8002810 Grey 8002811 Beige
ANTRACITE		30x30 12"x12" 	Rectified R10 ± 9 mm 12x📦 147 * 8004411 White 8004412 Grey 8004413 Beige 8004414 Antracite	
		10x30 4"x12" 	Rectified R10 ± 9 mm 32x📦 147 * 8004415 White 8004416 Grey 8004417 Beige 8004418 Antracite	

LEGEND

Gres porcellanato smaltato Glazed porcelain tile

DECORI DECORS

30x30 12"x12"

Mosaico 5x5 su rete

5x

17 *

8004419

White

8004420

Grey

8004421

Beige

8004422

Antracite

* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with at least, a 3 weeks waiting.

29x25 11.5"x10"

Mosaico Esagona T16 su rete

6x

60 *

8004423

White

8004424

Grey

8004425

Beige

8004426

Antracite

* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with at least, a 3 weeks waiting.

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors

Battiscopa Digitale

Skirting

6x60 2.4"x24"

15x

26

Gradino Lineare Costa Retta

Step

33x120x3 13"x48"x1.2"

2x

188 *

Angolare Costa Retta

Corner Step

33x120x3 13"x48"x1.2"

2x

Angolare DX/SX

194 *

Angolare DX

189 *

Angolare SX

189 *

Guarda la tabella completa dei pezzi speciali a pagina 192
View the complete special trims tabel at page 192

* Vendita su ordinazione.
Available upon request.

ARDESIA

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile




FORMATI SIZES



120x120 48"x48"
Rectified
± 9,5 mm R10

60x120 24"x48"
Rectified
± 9,5 mm R10



80x80 32"x32"
Rectified
± 10 mm R10

60x60 24"x24"
Rectified
± 9 mm R10
± 20 mm R11



30x60 12"x24"
Rectified
± 9 mm R10

10x30 4"x12"
Rectified
± 9 mm R10


COLORI COLORS



SABBIA



GRIGIO



ANTRACITE





ARDESIA

FLOOR

Ardesia Sabbia
60x60 $\pm$ 20 mm R11



FLOOR

Ardesia Avorio 60x120

WALL

Ardesia Sabbia 10x30

Ardesia Avorio 60x120



FLOOR
Ardesia Grigio 60x120
WALL
Ardesia Grigio 60x120
Ardesia Antracite 60x120



ARDESIA

FLOOR
Ardesia Antracite 60x120
WALL
Ardesia Antracite 60x120
Ardesia Antracite Mosaico 5x5 30x30

AVORIO


SABBIA

GRIGIO

ANTRACITE

FORMATI SIZES


120x120 48"x48"



Rectified R10
± 9,5 mm
1x📦
166

8002999 Antracite
8002983 Avorio
8002993 Grigio
8002987 Sabbia


60x120 24"x48"



Rectified R10
± 9,5 mm
2x📦
147

8002646 Antracite
8002625 Avorio
8002596 Grigio
8002597 Sabbia


80x80 32"x32"



Rectified R10
± 10 mm
2x📦
147

8004580 Antracite
8002984 Avorio
8002996 Grigio
8002990 Sabbia

60x60 24"x24"



Rectified R10
± 9 mm
3x📦
137

8002650 Antracite
8002649 Avorio
8002648 Grigio
8002647 Sabbia

Rectified R11
± 20 mm *
2x📦
158

8003001 Antracite
8002994 Grigio
8002988 Sabbia

* Raccomandazioni di
posa a pag. 202
Laying recommendations
at pag.202

30x60 12"x24"



Rectified R10
± 9 mm
6x📦
137

8002654 Antracite
8002653 Avorio
8002652 Grigio
8002651 Sabbia

FORMATI SIZES

10x30 4"x12"




Rectified R10
± 9 mm
32x📦
147 *

8002998 Antracite
8002982 Avorio
8002992 Grigio
8002986 Sabbia

* Vendita su ordinazione.
Available upon request.

DECORI DECORS

30x30 12"x12"



Mosaico 5x5 su rete
5x📦
17 *

8003004 Antracite
8002985 Avorio
8002997 Grigio
8002991 Sabbia


* Vendita tassativa a scatole
complete. Disponibile su
ordinazione con un minimo di
3 settimane. Sold by full boxes
only. Available on demand with,
at least, a 3 weeks waiting.

PEZZI SPECIALI SPECIAL TRIMS


Disponibili in tutti i colori Available in all colors




Battiscopa Digitale
Skirting
6x60 2.4"x24"
15x📦
26



Battiscopa Digitale
Skirting
6x80 2.4"x32"
8x📦
44



Gradino Lineare Costa
Retta
Step
33x120x3 13"x48"x1.2"
2x📦
188 *



Angolare Costa Retta
Corner Step
33x120x3 13"x48"x1.2"
2x📦
Angolare DX/SX 194 *
Angolare DX 189 *
Angolare SX 189 *



Guarda la tabella completa
dei pezzi speciali a pagina 192
View the complete special
trims tabel at page 192

* Vendita su ordinazione.
Available upon request.

ARDESIA	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
120x120 48"x48" Rectified R10	1	1,44	32,40	40	57,60	1356,00
60x120 24"x48" Rectified R10	2	1,44	29,60	36	51,84	1080,00
80x80 32"x32" Rectified R10	2	1,28	28,50	48	61,44	1382,40
60x60 24"x24" Rectified SP. 20mm R11	2	0,72	33,12	32	23,04	1060,00
60x60 24"x24" Rectified R10	3	1,08	21,30	40	43,20	852,00
30x60 12"x24" Rectified R10	6	1,08	21,00	48	51,84	1008,00
10x30 4"x12" Rectified R10	32	0,96	19,30	36	34,56	694,80




MARMI PREGIATI

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES




COLORI COLORS



STATUARIO



CALACATTA



SOVERAIA BEIGE



SOVERAIA SILVER



SOVERAIA GREY



SAHARA NOIR



FLOOR
Marmi Pregiati Sahara Noir 60x120
WALL
Marmi Pregiati Statuario 60x120



MARMİ PREGIATI

FLOOR
Marmi Pregiati Calacatta 60x60
WALL
Marmi Pregiati Calacatta 60x120




MARMI PREGIATI

Gres porcellanato smaltato Glazed porcelain tile

STATUARIO

FORMATI SIZES

60x120 24"x48"



- Polished Rectified

± 9 mm

2x

170
- 8003328

Calacatta
- 8003318

Soveraia Beige
- 8003321

Soveraia Grey
- 8003324

Soveraia Silver
- 8002910

Statuario
- Polished Rectified

± 9 mm


2x

174
- 8003315

Sahara Noir

CALACATTA

60x60 24"x24"



- Polished Rectified

± 9 mm

3x

170
- 8003327

Calacatta
- 8003320

Soveraia Beige
- 8003323

Soveraia Grey
- 8003326

Soveraia Silver
- 8002908

Statuario
- Polished Rectified

± 9 mm

3x

174
- 8003317

Sahara Noir

SOVERAIA
BEIGE

10x30 4"x12"



- Polished Rectified

± 9 mm

32x

193 *
- 8003329

Calacatta
- 8003316

Sahara Noir
- 8003319

Soveraia Beige
- 8003322

Soveraia Grey
- 8003325

Soveraia Silver
- 8002909

Statuario
- * Vendita su ordinazione.

Available upon request.

SOVERAIA
SILVER

SOVERAIA
GREY

SAHARA
NOIR

MARMI PREGIATI

Gres porcellanato smaltato Glazed porcelain tile

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors



- Battiscopa Digitale

Skirting

6x60 2.4"x24"

Polished

15x

30



Guarda la tabella completa
dei pezzi speciali a pagina 192
View the complete special
trims tabel at page 192

MARMI PREGIATI	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
60x120 24"x48" Rectified	2	1,44	30,00	36	51,84	1080,00
60x60 24"x24" Rectified	3	1,08	22,50	32	34,56	720,00
10x30 4"x12" Rectified	32	0,96	19,30	36	34,56	694,80



ECHO

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



20x40 8"x16"
Natural
± 8,5 mm R11


COLORI COLORS



WHITE



GREY



BEIGE

ECHO

FLOOR
MODULO PATTERN 10
Echo White 20x40 R11



FLOOR
MODULO PATTERN 11
Echo Grey 20x40 R11



ECHO

Gres porcellanato smaltato Glazed porcelain tile

WHITE

GREY

BEIGE

FORMATI SIZES

20x40 8"x16"



Natural R11
± 8,5 mm
15x **111**

8004881
8004882
8004883

OUT


White
Grey
Beige

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors



Battiscopa Digitale
Skirting
9,5x40 3.7"x16"
24x **13**




El. a Elle Lineare Monolitico R11
Monolithic L Element
15x30x4 6"x12"x1.6"
8x **55**




Guarda la tabella completa
dei pezzi speciali a pagina 192
View the complete special
trims tabel at page 192


SUGGERIMENTI DI POSA LAYING SUGGESTIONS



formati sizes	pz/modulo	%/mq	pz/mq
20x40	2	100	13



formati sizes	pz/modulo	%/mq	pz/mq
20x40	2	100	13



formati sizes	pz/modulo	%/mq	pz/mq
20x40	8	100	13

Attenzione: prodotto stonalizzato.
Si consiglia di miscelare il materiale durante la posa prelevando le piastrelle da diverse scatole.
Attention: highly shaded material.
We advise to lay material mixing tiles from different boxes.


ECHO	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
20x40 8"x16" Natural R11	15	1,20	20,90	64	76,80	1350,00

ECHO

Gres porcellanato smaltato Glazed porcelain tile



FLOOR MODULO PATTERN 12
Echo Beige 20x40 R11



BERNINA

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



20x40 8"x16"
Natural
± 8,5 mm R11

COLORI
COLORS





BERNINA

Gres porcellanato smaltato Glazed porcelain tile

BEIGE

GRIGIO

ROSSO

FORMATI SIZES

20x40 8"x16"

22 Printings



Natural R11

± 8,5 mm

15x

111

8003146

8003148

8003144

Beige

Grigio

Rosso

OUT

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors




Battiscopa Digitale

Skirting

9,5x40 3.7"x16"

24x

13



El. a Elle Lineare Monolitico R11

Monolithic L Element

15x30x4 6"x12"x1.6"


8x

55




Guarda la tabella completa dei pezzi speciali a pagina 192
View the complete special trims tabel at page 192


SUGGERIMENTI DI POSA LAYING SUGGESTIONS



formati sizes	pz/modulo	%/mq	pz/mq
20x40	2	100	13



formati sizes	pz/modulo	%/mq	pz/mq
20x40	2	100	13



formati sizes	pz/modulo	%/mq	pz/mq
20x40	8	100	13

Attenzione: prodotto stonalizzato.
Si consiglia di miscelare il materiale durante la posa prelevando le piastrelle da diverse scatole.
Attention: highly shaded material.
We advise to lay material mixing tiles from different boxes.

BERNINA	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
20x40 8"x16" Natural R11	15	1,20	20,90	64	76,80	1350,00

BERNINA

Gres porcellanato smaltato Glazed porcelain tile



FLOOR MODULO PATTERN 10
Bernina Grigio 20x40 R11



MERANO


PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



25x50 10"x20"
Natural
± 9 mm R11




25x25 10"x10"
Natural
± 9 mm R11

COLORI COLORS



BEIGE



GRIGIO



TABACCO



CENERE

MERANO

Gres porcellanato smaltato Glazed porcelain tile

BEIGE

GRIGIO

TABACCO

CENERE

FORMATI SIZES

25x50 10"x20"



Natural R11
± 9 mm
10x📦
134

OUT

8003303 Beige
8003311 Cenere
8003314 Grigio
8003305 Tabacco

25x25 10"x10"



Natural R11
± 9 mm
20x📦
134

OUT


8003304 Beige
8003312 Cenere
8003313 Grigio
8003306 Tabacco

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors



Battiscopa Digitale
Skirting
7,5x50 3"x20"
26x📦
26




El. a Elle Lineare Monolitico R11
Monolithic L Element
15x30x4 6"x12"x1.6"
8x📦
55




Guarda la tabella completa
dei pezzi speciali a pagina 192
View the complete special
trims tabel at page 192


SUGGERIMENTI DI POSA LAYING SUGGESTIONS




formati sizes	pz/modulo	%/mq	pz/mq
25x25	1	33	5,33
25x50	1	67	5,33



formati sizes	pz/modulo	%/mq	pz/mq
25x25	2	50	8
25x50	1	50	4



formati sizes	pz/modulo	%/mq	pz/mq
25x25	2	33	5,33
25x50	2	67	5,33



formati sizes	pz/modulo	%/mq	pz/mq
25x25	4	50	8
25x50	2	50	4

Attenzione: prodotto stonalizzato.
Si consiglia di miscelare il materiale
durante la posa prelevando le
piastrelle da diverse scatole.
Attention: highly shaded material.
We advise to lay material mixing
tiles from different boxes.

MERANO	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
25x50 10"x20" Natural R11	10	1,25	23,60	48	60,00	1148,00
25x25 10"x10" Natural R11	20	1,25	23,40	54	67,50	1280,00

MERANO

Gres porcellanato smaltato Glazed porcelain tile



FLOOR
MODULO PATTERN 5
Merano Grigio 25x50 - 25x25 R11

PIETRE ITALIANE

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile





INK-JET

DIGITAL

technology






PEI

3÷5


R10

R11


FORMATI SIZES



60x90 24"x36"
Rectified
± 10 mm R10
± 20 mm R11



40x60 16"x24"
Natural
± 9,5 mm R10/R11



40x40 16"x16"
Natural
± 9,5 mm R10



20x40 8"x16"
Natural
± 9,5 mm R10




20x20 8"x8"
Natural
± 9,5 mm R10


COLORI COLORS



SABBIA



GRIGIO



BEIGE



PEPE

PIETRE ITALIANE

FLOOR Pietre Italiane Beige 20x20 . 40x40
WALL MODULO PATTERN 11 Pietre Italiane Beige 20x40



FLOOR

Pietre Italiane Pepe 40x60 . 40x40 . 20x40



PIETRE ITALIANE

FLOOR

Pietre Italiane Pepe
40x60 . 40x40 . 20x40 . 20x20





PIETRE ITALIANE

FLOOR
Pietre Italiane Grigio
Indoor 40x40
Outdoor R11 40x60



FLOOR/WALL
MODULO PATTERN 2
Pietre Italiane Grigio
40x60 . 40x40 . 20x40 . 20x20

PIETRE ITALIANE

Gres porcellanato smaltato Glazed porcelain tile

SABBIA

GRIGIO

BEIGE

PEPE

FORMATI SIZES




Rectified R10 ± 10 mm 2x📦 161		Rectified R11 ± 20 mm * 1x📦 174	OUT
8002959 8002973 8002980 8002966	Beige Grigio Pepe Sabbia	8002960 8002974 8002981 8002967	Beige Grigio Pepe Sabbia

* Raccomandazioni di
posa a pag. 202
Laying recommendations
at pag.202



Natural R10 ± 9,5 mm 4x📦 140		Natural R11 ± 9,5 mm 4x📦 140	OUT
8002957 8002971 8002978 8002964	Beige Grigio Pepe Sabbia	8002958 8002972 8002979 8002965	Beige Grigio Pepe Sabbia



Natural R10 ± 9,5 mm 6x📦 140	
8002956 8002970 8002977 8002963	Beige Grigio Pepe Sabbia



Natural R10 ± 9,5 mm 13x📦 140	
8002955 8002969 8002975 8002961	Beige Grigio Pepe Sabbia



Natural R10 ± 9,5 mm 26x📦 140	
8002954 8002968 8002976 8002962	Beige Grigio Pepe Sabbia

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors



Battiscopa Digitale
Skirting
5x60 2"x24"
14x📦
26




Guarda la tabella completa
dei pezzi speciali a pagina 192
View the complete special
trims tabel at page 192


PIETRE ITALIANE

Gres porcellanato smaltato Glazed porcelain tile


SUGGERIMENTI DI POSA LAYING SUGGESTIONS




formati sizes	pz/modulo	%/mq	pz/mq
20x20	1	9	2,30
40x40	1	36	2,30
40x60	1	55	2,30



formati sizes	pz/modulo	%/mq	pz/mq
20x20	2	9	1,92
20x40	2	18	1,92
40x40	1	18	1
40x60	2	55	1,92



formati sizes	pz/modulo	%/mq	pz/mq
20x20	4	11	2,76
20x40	2	11	1,38
40x40	4	44,5	2,76
40x60	2	33,5	1,38



formati sizes	pz/modulo	%/mq	pz/mq
20x20	4	17	4,16
20x40	2	17	2,08
40x40	1	17	1,04
40x60	2	49	2,08

Si consiglia posa con fuga 3/4 mm
Suggested laying with 3/4 mm joint

PIETRE ITALIANE	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
60x90 24"x36" Rectified R10	2	1,08	24,00	45	48,60	1080,00
60x90 24"x36" Rectified SP. 20mm R11	1	0,54	23,90	45	24,30	1075,50
40x60 16"x24" Natural R10/R11	4	0,96	18,32	60	57,60	1099,00
40x40 16"x16" Natural R10	6	0,96	18,48	64	61,44	1183,00
20x40 8"x16" Natural R10	13	1,04	20,00	64	66,56	1280,00
20x20 8"x8" Natural R10	26	1,04	19,50	64	66,56	1248,00



QUASAR

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



30x60 12"x24"
Natural
± 8,5 mm R11



20x40 8"x16"
Natural
± 8,5 mm R11

COLORI COLORS



CREAM




GREY

QUASAR

Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



Natural R11
± 8,5 mm
8x

8003054
8003057



Cream
Grey

20x40 8"x16"



Natural R11
± 8,5 mm
15x

8003055
8003056




Cream
Grey

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors



Battiscopa Digitale
Skirting
6x60 2.4"x24"
14x
26




El. a Elle Lineare Monolitico R11
Monolithic L. Element
15x30x4 6"x12"x1.6"
8x
55 *




Guarda la tabella completa
dei pezzi speciali a pagina 192
View the complete special
trims tabel at page 192

* Vendita su ordinazione.
Available upon request.


SUGGERIMENTI DI POSA LAYING SUGGESTIONS



formati sizes	pz/modulo	%/mq	pz/mq
20x40	2	100	13
30x60	2	100	6



formati sizes	pz/modulo	%/mq	pz/mq
20x40	2	100	13
30x60	2	100	6



formati sizes	pz/modulo	%/mq	pz/mq
20x40	8	100	13
30x60	8	100	6

Attenzione: prodotto stonalizzato.
Si consiglia di miscelare il materiale durante la posa prelevando le piastrelle da diverse scatole.
Attention: highly shaded material.
We advise to lay material mixing tiles from different boxes.

QUASAR	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
30x60 12"x24" Natural R11	8	1,44	25,60	40	57,60	1040,00
20x40 8"x16" Natural R11	15	1,20	20,90	64	76,80	1350,00

QUASAR

Gres porcellanato smaltato Glazed porcelain tile



FLOOR MODULO PATTERN 10
Quasar Beige 30x60



FLOOR MODULO PATTERN 10
Quasar Grey 20x40

ATELIER


PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



30x120 12"x48"
Rectified
± 9,5 mm R10



20x120 8"x48"
Rectified
± 9,5 mm R10

COLORI
COLORS





ATELIER

FLOOR

Atelier Faggio 30x120

WALL

Atelier Esagona Mix 39x46



ATELIER

FLOOR

Atelier Abete 30x120

WALL

Atelier Abete Tapparella 30x60



FLOOR

Atelier Acero 20x120

WALL

Dream Wall 60x120



FORMATI SIZES

30x120 12"x48"	Rectified R10 ± 9,5 mm 3x📦 146	8002821 Acero 8002820 Faggio 8002819 Pino 8002818 Abete
20x120 8"x48"	Rectified R10 ± 9,5 mm 5x📦 146	8002817 Acero 8002816 Faggio 8002815 Pino 8002814 Abete

DECORI DECORS

29x25 11.5"x10"	Mosaico Esagona su rete Rectified R10 6x📦 60	8004447 Acero 8004448 Faggio 8004449 Pino 8004450 Abete	* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.
39x46 15"x18"	Esagona T18 su rete Rectified R10 4x📦 74	8004399 Abete 8004402 Acero 8004401 Faggio 8004400 Pino	* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.
30x30 12"x12"	Mosaico Intreccio su rete Rectified R10 11x📦 48	8004403 Abete 8004406 Acero 8004405 Faggio 8004404 Pino	* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.
	Disponibile nella versione Mix.. Fai la tua scelta! Available Mix version...Make your choice! 4x📦 74	Mix	** Vendita tassativa a scatole complete. Ordine minimo 90 scatole / colore (3 pallet completi). Sale in full boxes only. Minimum order 90 boxes / color (3 full pallets).

DECORI DECORS

30x60 12"x24"	Tapparella su rete Rectified R10 6x📦 74	8004407 Abete 8004410 Acero 8004409 Faggio 8004408 Pino	* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.
40x40 16"x16"	Mosaico Nest su rete Rectified R10 4x📦 88	8004472 Abete 8004469 Acero 8004470 Faggio 8004471 Pino	* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.
	Disponibile nella versione Mix.. Fai la tua scelta! Available Mix version...Make your choice! 6x📦 74	Mix	** Vendita tassativa a scatole complete. Ordine minimo 30 scatole / colore (1 pallet completo). Sale in full boxes only. Minimum order 30 boxes / color (1 full pallet).
	Disponibile nella versione Mix.. Fai la tua scelta! Available Mix version...Make your choice! 4x📦 88	Mix	** Vendita tassativa a scatole complete. Ordine minimo 30 scatole / colore (1 pallet completo). Sale in full boxes only. Minimum order 30 boxes / color (1 full pallet).

PEZZI SPECIALI SPECIAL TRIMS


Disponibili in tutti i colori Available in all colors

Battiscopa Digitale Skirting 6x60 2.4"x24" 15x📦 26	Gradino Lineare Costa Retta Step 30x120x3 12"x48"x1.2" 2x📦 188 *	Angolare Costa Retta Corner Step 30x120x3 12"x48"x1.2" 2x📦 Angolare DX/SX 194. * Angolare DX 189. * Angolare SX 189. *
---	---	---



Guarda la tabella completa dei pezzi speciali a pagina 192
View the complete special trims tabel at page 192

* Vendita su ordinazione. Available upon request.



POSA CONSIGLIATA 1/3 MINIMO 2 MM DI FUGA
SUGGESTED LAYING 1/3 MINIMUM 2 MM OF JOINT



POSA SCONSIGLIATA 1/2 SENZA FUGA
NOT RECOMMENDED LAYING 1/2 WITHOUT JOINT

Attenzione: prodotto stonalizzato.
Si consiglia di miscelare il materiale durante la posa prelevando le piastrelle da diverse scatole.
Attention: highly shaded material.
We advise to lay material mixing tiles from different boxes.

CANAZEI


PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



30x120 12"x48"
Rectified
± 9,5 mm R10



20x120 8"x48"
Rectified
± 9,5 mm R10/R11

COLORI
COLORS



CANAZEI

FLOOR
Canazei Light 30x120



FLOOR
Canazei Light 20x120





FLOOR
Canazei Amber 30x120



CANAZEI

FLOOR
Canazei Greige 20x120
WALL
Dream Ruins 60x120

CANAZEI



Gres porcellanato smaltato Glazed porcelain tile

FORMATI SIZES

LIGHT		Rectified R10 ± 9,5 mm 3x📦 146			
		8001792 Amber 8003154 Greige 8001790 Light 8003150 Nut			
NUT		Rectified R10 ± 9,5 mm 5x📦 146		Rectified R11 ± 9,5 mm 5x📦 146	
		8001786 Amber 8001787 Greige 8001784 Light 8003152 Nut		8001788 Greige 8001789 Nut	

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors

			 Guarda la tabella completa dei pezzi speciali a pagina 192 View the complete special trims tabel at page 192
Battiscopa Digitale Skirting 6x60 2.4"x24" 15x📦 26	Gradino Lineare Costa Retta Step 30x120x3 12"x48"x1.2" 2x📦 188 *	Angolare Costa Retta Corner Step 30x120x3 12"x48"x1.2" 2x📦 Angolare DX/SX 194 * Angolare DX 189 * Angolare SX 189 *	

* Vendita su ordinazione.
Available upon request.

	POSA CONSIGLIATA 1/3 MINIMO 2 MM DI FUGA SUGGESTED LAYING 1/3 MINIMUM 2 MM OF JOINT	Attenzione: prodotto stonalizzato. Si consiglia di miscelare il materiale durante la posa prelevando le piastrelle da diverse scatole. Attention: highly shaded material. We advise to lay material mixing tiles from different boxes.
	POSA SCONSIGLIATA 1/2 SENZA FUGA NOT RECOMMENDED LAYING 1/2 WITHOUT JOINT	

CANAZEI	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
30x120 12"x48" Rectified R10	3	1,08	22,05	48	51,84	1073,00
20x120 8"x48" Rectified R10/R11	5	1,20	24,41	48	57,60	1187,00

CANAZEI

Gres porcellanato smaltato Glazed porcelain tile



FLOOR
Canazei Nut. 20x120 R11

LAGUNA


PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES




30x120 12"x48"
Rectified
± 9,5 mm R10



20x120 8"x48"
Rectified
± 9,5 mm R10/R11

COLORI
COLORS



LAGUNA

FLOOR Laguna Natural R11 20x120



LAGUNA

FLOOR
Laguna Greige 20x120
WALL
Dream Blocks 60x120



FLOOR
Laguna Light 20x120
WALL
Dream Circle 60x120

LAGUNA

Gres porcellanato smaltato Glazed porcelain tile



- LIGHT
- GREIGE
- NATURAL
- BARRIQUE

FORMATI SIZES

30x120 12"x48"	 14 Printings	Rectified R10 ± 9,5 mm 3x📦 146			
		8003287	Barrique		
		8003290	Greige		
		8003280	Light		
		8003282	Natural		
20x120 8"x48"	 21 Printings	Rectified R10 ± 9,5 mm 5x📦 146		Rectified R11 ± 9,5 mm 5x📦 146	
		8003286	Barrique		
		8003289	Greige	8004456	Greige
		8003279	Light		
		8003281	Natural	8004455	Natural

PEZZI SPECIALI SPECIAL TRIMS

Disponibili in tutti i colori Available in all colors

			
Battiscopa Digitale Skirting 6x60 2.4"x24" 15x📦 26	Gradino Lineare Costa Retta Step 30x120x3 12"x48"x1.2" 2x📦 188 *	Angolare Costa Retta Corner Step 30x120x3 12"x48"x1.2" 2x📦 Angolare DX/SX 194 * Angolare DX 189 * Angolare SX 189 *	Guarda la tabella completa dei pezzi speciali a pagina 192 View the complete special trims tabel at page 192
			* Vendita su ordinazione. Available upon request.

	POSA CONSIGLIATA 1/3 MINIMO 2 MM DI FUGA SUGGESTED LAYING 1/3 MINIMUM 2 MM OF JOINT	Attenzione: prodotto stonalizzato. Si consiglia di miscelare il materiale durante la posa prelevando le piastrelle da diverse scatole. Attention: highly shaded material. We advise to lay material mixing tiles from different boxes.
	POSA SCONSIGLIATA 1/2 SENZA FUGA NOT RECOMMENDED LAYING 1/2 WITHOUT JOINT	

LAGUNA	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
30x120 12"x48" Rectified R10	3	1,08	22,05	48	51,84	1073,00
20x120 8"x48" Rectified R10 /R11	5	1,20	24,41	48	57,60	1187,00

LAGUNA

Gres porcellanato smaltato Glazed porcelain tile



FLOOR
Laguna Barrique 30x120



CLAY

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



30x90 12"x36"
Rectified
± 8 mm R10

COLORI
COLORS



PALE




RAW



RUST



PINK



MINT

CLAY

WALL
Clay Pink 30x90 | Garden 30x90
FLOOR
Clay Iron 60x120



Clay Garden 30x90




CLAY

WALL

Clay Mint 30x90
Clay Stripes 30x90

FLOOR

Clay Iron 60x120





CLAY

Gres porcellanato smaltato Glazed porcelain tile

FORMATI SIZES $\pm$ 8 mm Rectified R10



30x90 12"x36" Rectified
8005093 Clay Pale

5x10 Printings 146



30x90 12"x36" Rectified
8005094 Clay Raw

5x10 Printings 146



30x90 12"x36"
8005211 Clay Decoro Eclipse

5x3 Printings* MIX 147



30x90 12"x36"
8005212 Clay Decoro Silk

5x3 Printings* MIX 147



30x90 12"x36" Rectified
8005097 Clay Rust

5x10 Printings 146




30x90 12"x36"
8005209 Clay Decoro Lotus

5x3 Printings* MIX 147

CLAY

Gres porcellanato smaltato Glazed porcelain tile

FORMATI SIZES $\pm$ 8 mm Rectified R10



30x90 12"x36" Rectified
8005095 Clay Mint

5x10 Printings 146



30x90 12"x36"
8005213 Clay Decoro Stripes

5x3 Printings* MIX 147



30x90 12"x36" Rectified
8005096 Clay Pink

5x10 Printings 146



30x90 12"x36"
8005210 Clay Decoro Garden

5x3 Printings* MIX 147

* **MIX** I decori sono soggetti misti e sono inscatolati in modo casuale. Decorations are mixed subjects and are randomly packed.
Posa consigliata con fuga 2 mm. La ripresa grafica tra i decori può avere una tolleranza contenuta in 2 cm.
Recommended installation with 2 mm joint. The tile graphic between the decorations can have a tolerance included in 2 cm.

PAVIMENTI ABBINATI MATCHING FLOOR TILES

gres porcellanato smaltato Glazed porcelain tiles

- ARDESIA
- ATELIER
- CANAZEI
- CLAY
- CONCRETE
- ETERNAL
- KAZANE
- LAGUNA
- LEGEND
- QUARRY

CLAY	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
30x90 12"x36" Rectified R10	5	1,35	23,80	48	64,80	1142,40



ETERNAL

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



30x90 12"x36"
Rectified
± 8 mm R10

COLORI
COLORS



BEIGE



OLIVE



WHITE



GREY



BLUE

ETERNAL

FLOOR
Eternal Grey 60x120
WALL
Eternal Grey . Olive 30x90
Eternal Fusion Cold 30x90



Eternal Fusion Cold 30x90





Eternal Flower 30x90


ETERNAL

Gres porcellanato smaltato Glazed porcelain tile

FORMATI SIZES  8 mm Rectified R10



30x90 12"x36" Rectified
8002613 Eternal White 5x 6 Printings 



30x90 12"x36"
8002611 Eternal Grey 5x 6 Printings 



30x90 12"x36"
8002615 Eternal Blue 5x 6 Printings 



30x90 12"x36"
8002616 Eternal Flower 5x 3 Printings*  



30x90 12"x36"
8002612 Eternal Beige 5x 6 Printings 



30x90 12"x36"
8002614 Eternal Olive 5x 6 Printings 



30x90 12"x36"
8002617 Eternal Fusion Cold 5x 1 Printing 



30x90 12"x36"
8002618 Eternal Fusion Warm 5x 1 Printing 

*  I decori sono soggetti misti e sono inscatolati in modo casuale. Decorations are mixed subjects and are randomly packed.
Posa consigliata con fuga 2 mm. La ripresa grafica tra i decori può avere una tolleranza contenuta in 2 cm.
Recommended installation with 2 mm joint. The tile graphic between the decorations can have a tolerance included in 2 cm.

PAVIMENTI ABBINATI MATCHING FLOOR TILES

gres porcellanato smaltato Glazed porcelain tiles

- ARDESIA
- ATELIER
- CANAZEI
- CLAY
- CONCRETE
- ETERNAL
- KAZANE
- LAGUNA
- LEGEND
- QUARRY

ETERNAL	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
30x90 12"x36" Rectified R10	5	1,35	23,80	48	64,80	1142,40




QUARRY

PAVIMENTO E RIVESTIMENTO FLOOR AND WALL TILE
Gres porcellanato smaltato Glazed porcelain tile



FORMATI SIZES



30x90 12"x36"
Rectified
± 8 mm R10


COLORI COLORS



WHITE



GREY



DARK



BEIGE

QUARRY

FLOOR
Quarry White 60x120
WALL
Quarry White 30x90
Quarry Sphere 30x90



QUARRY

FLOOR Quarry Dark 60x120 | WALL Quarry White 30x90 . Bloom 30x90






Quarry Bloom 30x90

QUARRY


Gres porcellanato smaltato Glazed porcelain tile

FORMATI SIZES $\pm$ 8 mm Rectified R10



30x90 12"x36" Rectified
8002605 Quarry White

5x📦 10 Printings
146



30x90 12"x36"
8002606 Quarry Beige

5x📦 10 Printings
146



30x90 12"x36"
8002607 Quarry Grey

5x📦 10 Printings
146



30x90 12"x36"
8002608 Quarry Dark

5x📦 10 Printings
146



30x90 12"x36"
8002610 Quarry Sphere

5x📦 2 Printings*
MIX
147



30x90 12"x36"
8002609 Quarry Bloom

5x📦 1 Printing
147

* **MIX** I decori sono soggetti misti e sono inscatolati in modo casuale. Decorations are mixed subjects and are randomly packed.
Posa consigliata con fuga 2 mm. La ripresa grafica tra i decori può avere una tolleranza contenuta in 2 cm.
Recommended installation with 2 mm joint. The tile graphic between the decorations can have a tolerance included in 2 cm.

PAVIMENTI ABBINATI MATCHING FLOOR TILES

gres porcellanato smaltato Glazed porcelain tiles

- ARDESIA
- ATELIER
- CANAZEI
- CLAY
- CONCRETE
- ETERNAL
- KAZANE
- LAGUNA
- LEGEND
- QUARRY

QUARRY	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
30x90 12"x36" Rectified R10	5	1,35	23,80	48	64,80	1142,40



MALENA

RIVESTIMENTO WALL TILE
Rivestimenti in bicottura Double firing wall tiles



FORMATI SIZES



25x60 10"x24"
Natural
± 8 mm

COLORI COLORS



NEUTRO



GRIGIO



BEIGE

WALL
Malena Neutro 25x60
Malena Grigio 25x60
Malena Geometrico 25x60



MALENA

Rivestimenti in bicottura Double firing wall tiles

FORMATI SIZES  8 mm



25x60 10"x24"
8003297 Malena Neutro  91



25x60 10"x24"
8003298 Malena Beige  91



25x60 10"x24"  1 Printing
8003300 Malena Foglie  99



25x60 10"x24"
8003299 Malena Grigio  91



25x60 10"x24"  1 Printing
8003301 Malena Geometrico  99

Posa consigliata con fuga 2 mm. La ripresa grafica tra i decori può avere una tolleranza contenuta in 2 cm.
Recommended installation with 2 mm joint. The tile graphic between the decorations can have a tolerance included in 2 cm.

PAVIMENTI ABBINATI MATCHING FLOOR TILES

gres porcellanato smaltato Glazed porcelain tiles

ARDESIA
ATELIER
CANAZEI
CLAY
CONCRETE
ETERNAL
KAZANE
LAGUNA
LEGEND
QUARRY

MALENA	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
25x60 10"x24" Wall Tile	10	1,50	19,20	48	72,00	922,00



SOSTANZA

RIVESTIMENTO WALL TILE
Rivestimenti in bicottura Double firing wall tiles



FORMATI SIZES




20x60 8"x24"
Natural
± 7,8 mm


COLORI COLORS



NEUTRO



GRIGIO



TORTORA


FLOOR
Concrete Beige 60x60
WALL
Sostanza Neutro 20x60
Sostanza Tortora 20x60
Sostanza Muretto 20x60




SOSTANZA

Rivestimenti in bicottura Double firing wall tiles

FORMATI SIZES  7,8 mm



20x60 8"x24"
8003082 Sostanza Neutro  91



20x60 8"x24"
8003083 Sostanza Tortora  91



20x60 8"x24"
8003084 Sostanza Grigio  91



20x60 8"x24""
8003081 Sostanza Muretto  99

PAVIMENTI ABBINATI MATCHING FLOOR TILES

gres porcellanato smaltato Glazed porcelain tiles

- ARDESIA
- ATELIER
- CANAZEI
- CLAY
- CONCRETE
- ETERNAL
- KAZANE
- LAGUNA
- LEGEND
- QUARRY

SOSTANZA	pz/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
20x60 8"x24" Wall Tile	12	1,44	18,86	56	80,64	1056,00

CODICI PEZZI SPECIALI CODES SPECIAL TRIMS


					
	Battiscopa Digitale Skirting				El. a L Monolitico R11 Monolithic L Element
	5x60 2"x24" 26 14x📦	6x60 2.4"x24" 26 15x📦	6x80 2.4"x32" 44 8x📦	7,5x50 3"x20" 26 26x📦	9,5x40 3.7"x16" 13 24x📦
ARDESIA ANTRACITE		8003445	8003444		
ARDESIA AVORIO		8003436	8003435		
ARDESIA GRIGIO		8003442	8003441		
ARDESIA SABBIA		8003438	8003437		
ATELIER ABETE		8004371			
ATELIER ACERO		8004374			
ATELIER FAGGIO		8004373			
ATELIER PINO		8004372			
BERNINA BEIGE					8003394
BERNINA GRIGIO					8004479
BERNINA ROSSO					8004480
CANAZEI AMBER		8003401			
CANAZEI GREIGE		8003402			
CANAZEI LIGHT		8003397			
CANAZEI NUT		8003399			
CLAY IRON		8005089			
CLAY PALE		8005088			
CLAY RAW		8005090			
CLAY RUST		8005091			
CLAY SMOKE		8005092			
CONCRETE BEIGE		8003170			
CONCRETE GRIGIO		8003171			
ECHO BEIGE					8004913
ECHO GREY					8004912
ECHO WHITE					8004911
ETERNAL BEIGE		8003197			
ETERNAL BLUE		8003198			
ETERNAL GREY		8003199			
ETERNAL OLIVE		8003200			
ETERNAL WHITE		8004485			
KAZANE CHALK		8005316			
KAZANE ONYX		8005319			
KAZANE SAND		8005317			
KAZANE SOIL		8005318			
LAGUNA BARRIQUE		8003417			
LAGUNA GREIGE		8003418			
LAGUNA LIGHT		8003414			
LAGUNA NATURAL		8003416			
LEGEND ANTRACITE		8004430			
LEGEND BEIGE		8004429			
LEGEND GREY		8004428			
LEGEND WHITE		8004427			
M.PREGIATI CALACATTA		8003403			
M.PREGIATI SAHARA NOIR		8003130			
M.PREGIATI SOVERAIA BEIGE		8003131			
M.PREGIATI SOVERAIA GREY		8003132			
M.PREGIATI SOVERAIA SILVER		8003133			
M.PREGIATI STATUARIO		8003134			
MERANO BEIGE				8003138	8003184
MERANO CENERE				8003141	8003183
MERANO GRIGIO				8003140	8003182
MERANO TABACCO				8003139	8003181
P. ITALIANE BEIGE	8003431				
P. ITALIANE GRIGIO	8004486				
P. ITALIANE PEPE	8003434				
P. ITALIANE SABBIA	8003432				
QUARRY BEIGE		8003122	8004493		
QUARRY DARK		8003125	8004492		
QUARRY GREY		8003390	8004494		
QUARRY WHITE		8004496	8004495		
QUASAR CREAM		8003389			8003185
QUASAR GREY		8004497			8003186

CODICI PEZZI SPECIALI CODES SPECIAL TRIMS


						
	Gradino Lineare Costa Retta Step	Angolare Costa Retta DX Corner Step	Angolare Costa Retta SX Corner Step	Angolare Costa Retta DX/SX Corner Step		
	33x120x3 13"x48"x1.2" 188 2x📦	30x120x3 12"x48"x1.2" 188 2x📦	33x120x3 13"x48"x1.2" 189 2x📦	30x120x3 12"x48"x1.2" 189 2x📦		
	33x120x3 13"x48"x1.2" 194 2x📦	30x120x3 12"x48"x1.2" 194 2x📦				
ARDESIA ANTRACITE	8003262		8003375	8003377	8003376	
ARDESIA AVORIO	8003258		8003363	8003365	8003364	
ARDESIA GRIGIO	8003260		8003370	8003369	8003371	
ARDESIA SABBIA	8003259		8003366	8003368	8003367	
ATELIER ABETE		8004391		8004379	8004383	8004387
ATELIER ACERO		8004394		8004382	8004386	8004390
ATELIER FAGGIO		8004393		8004381	8004385	8004389
ATELIER PINO		8004392		8004380	8004384	8004388
BERNINA BEIGE						
BERNINA GRIGIO						
BERNINA ROSSO						
CANAZEI AMBER		8003251	8003342		8003379	8004502
CANAZEI GREIGE		8003252	8003339		8003341	8003340
CANAZEI LIGHT		8003248	8003333		8003335	8003334
CANAZEI NUT		8003249	8003336		8003338	8003337
CLAY IRON	8005069		8005075	8005076		8005084
CLAY PALE	8005068		8005073	8005074		8005083
CLAY RAW	8005070		8005077	8005078		8005085
CLAY RUST	8005071		8005079	8005080		8005086
CLAY SMOKE	8005072		8005081	8005082		8005087
CONCRETE BEIGE						
CONCRETE GRIGIO						
ECHO BEIGE						
ECHO GREY						
ECHO WHITE						
ETERNAL BEIGE	8004503		8003201	8003202		8004514
ETERNAL BLUE	8004504		8003203	8003204		8004515
ETERNAL GREY	8004505		8004508	8004511		8004516
ETERNAL OLIVE	8004506		8004509	8004512		8004517
ETERNAL WHITE	8004507		8004510	8004513		8004518
KAZANE CHALK	8005320		8005324	8005328		8005332
KAZANE ONYX	8005323		8005327	8005331		8005335
KAZANE SAND	8005321		8005325	8005329		8005333
KAZANE SOIL	8005322		8005326	8005330		8005334
LAGUNA BARRIQUE		8003256		8003357	8003359	8003358
LAGUNA GREIGE		8003257		8003360	8003362	8003361
LAGUNA LIGHT		8003253		8003351	8003353	8003352
LAGUNA NATURAL		8003255		8003354	8003356	8003355
LEGEND ANTRACITE	8004434		8004442	8004438		8004446
LEGEND BEIGE	8004433		8004441	8004437		8004445
LEGEND GREY	8004432		8004440	8004436		8004444
LEGEND WHITE	8004431		8004439	8004435		8004443
M.PREGIATI CALACATTA						
M.PREGIATI SAHARA NOIR						
M.PREGIATI SOVERAIA BEIGE						
M.PREGIATI SOVERAIA GREY						
M.PREGIATI SOVERAIA SILVER						
M.PREGIATI STATUARIO						
MERANO BEIGE						
MERANO CENERE						
MERANO GRIGIO						
MERANO TABACCO						
P. ITALIANE BEIGE						
P. ITALIANE GRIGIO						
P. ITALIANE PEPE						
P. ITALIANE SABBIA						
QUARRY BEIGE	8004519		8004523	8004527		8004531
QUARRY DARK	8003273		8004522	8004526		8004530
QUARRY GREY	8004520		8004524	8004528		8004532
QUARRY WHITE	8004521		8004525	8004529		8004533
QUASAR CREAM						
QUASAR GREY						

SUGGERIMENTI DI POSA


Si consiglia posa con fuga 3/4 mm
Suggested laying with 3/4 mm joint




formati	sizes	pz/modulo	%/mq	pz/mq
20x20		1	9	2,30
40x40		1	36	2,30
40x60		1	55	2,30




formati	sizes	pz/modulo	%/mq	pz/mq
20x20		2	9	1,92
20x40		2	18	1,92
40x40		1	18	1
40x60		2	55	1,92




formati	sizes	pz/modulo	%/mq	pz/mq
20x20		4	11	2,76
20x40		2	11	1,38
40x40		4	44,5	2,76
40x60		2	33,5	1,38




formati	sizes	pz/modulo	%/mq	pz/mq
20x20		4	17	4,16
20x40		2	17	2,08
40x40		1	17	1,04
40x60		2	49	2,08




formati	sizes	pz/modulo	%/mq	pz/mq
25x25		1	33	5,33
25x50		1	67	5,33
20x20		1	33	8,33
20x40		1	67	8,33




formati	sizes	pz/modulo	%/mq	pz/mq
25x25		2	50	8
25x50		1	50	4
20x20		2	50	12,5
20x40		1	50	6,25




formati	sizes	pz/modulo	%/mq	pz/mq
25x25		2	33	5,33
25x50		2	67	5,33
20x20		2	33	8,33
20x40		2	67	8,33




formati	sizes	pz/modulo	%/mq	pz/mq
25x25		4	50	8
25x50		2	50	4
20x20		4	50	12,5
20x40		2	50	6,25




formati	sizes	pz/modulo	%/mq	pz/mq
25x25		2	20	3,2
25x50		4	80	6,4
20x20		2	20	5
20x40		4	80	10



formati	sizes	pz/modulo	%/mq	pz/mq
20x40		2	100	13
30x60		2	100	6




formati	sizes	pz/modulo	%/mq	pz/mq
20x40		2	100	13
30x60		2	100	6




formati	sizes	pz/modulo	%/mq	pz/mq
20x40		8	100	13
30x60		8	100	6

LAYING SUGGESTIONS


Si consiglia posa con fuga 2 mm
Suggested laying with 2 mm joint




formati	sizes	pz/modulo	%/mq	pz/mq
60x120		4	80	1,11
60x60		2	20	0,55




formati	sizes	pz/modulo	%/mq	pz/mq
60x120		1	57,14	0,79
60x60		1	28,57	0,79
30x60		1	14,28	0,79




formati	sizes	pz/modulo	%/mq	pz/mq
60x120		1	50	0,69
60x60		1	25	0,69
30x60		1	12,5	0,69
30x30		2	12,5	1,38




formati	sizes	pz/modulo	%/mq	pz/mq
60x120		1	66,66	0,93
30x60		2	33,33	1,85




formati	sizes	pz/modulo	%/mq	pz/mq
60x120		2	66,66	0,93
60x60		1	16,66	0,46
30x60		1	8,33	0,46
30x30		2	8,33	0,96




formati	sizes	pz/modulo	%/mq	pz/mq
60x120		1	57,14	0,79
60x60		1	28,57	0,79
30x60		1	14,29	0,79




formati	sizes	pz/modulo	%/mq	pz/mq
60x60		1	40	1,11
30x60		3	60	3,33




formati	sizes	pz/modulo	%/mq	pz/mq
60x60		1	50	1,39
30x60		1	25	1,39
30x30		2	25	2,78



formati	sizes	pz/modulo	%/mq	pz/mq
60x60		1	57,14	0,63
30x60		1	28,57	0,63
30x30		1	14,29	0,63



formati	sizes	pz/modulo	%/mq	pz/mq
30x60		4	80	4,44
30x30		2	20	2,22



formati	sizes	pz/modulo	%/mq	pz/mq
60x60		1	50	1,38
30x60		2	50	2,77

CARATTERISTICHE TECNICHE . Gres porcellanato smaltato

TECHNICAL CHARACTERISTICS . Glazed porcelain tile

NORMA DI RIFERIMENTO SPECIFICATION REFERENCE ISO 13006/EN14411 APPENDICE G Bla GL

CARATTERISTICA TECNICA TECHNICAL FEATURE CARACTÉRISTIQUE TECHNIQUE TECHNISCHE EIGENSCHAFT		TEST METHOD	PROGETTO BAUCER
	LUNGHEZZA E LARGHEZZA LENGTH AND WIDTH LONGUEUR ET LARGEUR LÄNGE UND BREITE	UNI EN ISO 10545-2	CONFORME COMPLIANT CONFORME ENTSPRICHT DEN ANFORDERUNGEN
	SPESSORE THICKNESS ÉPAISSEUR STÄRKE		
	RETTILINEITÀ SPIGOLI STRAIGHTNESS OF SIDES RECTITUDE DES ARÊTES KANTENGERADHEIT		
	ORTOGONALITÀ RECTANGULARITY ORTHOGONALITÉ RECHTWINKLIGKEIT		
	PLANARITÀ SURFACE FLATNESS PLANÉITÉ EBENFLÄCHIGKEIT		
	ASPETTO ASPECT APPARANCE AUSSEHEN		
	ASSORBIMENTO D'ACQUA WATER ABSORPTION ABSORPTION D'EAU WASSERAUFNAHME	UNI EN ISO 10545-3	≤ 0,5%
	MODULO DI ROTTURA MODULUS OF RUPTURE MODULE DE RUPTURE BIEGEFESTIGKEIT	UNI EN ISO 10545-4	≥ 35 N/mm²
	SFORZO DI ROTTURA BREAKING STRENGTH FORCE DE RUPTURE BRUCHKRAFT		≥ 1300 N
	DETERMINAZIONE DELLA RESISTENZA ALL'URTO DETERMINATION OF IMPACT RESISTANCE RÉSISTANCE AUX CHOCS BESTIMMUNG DER SCHLAGFESTIGKEIT	UNI EN ISO 10545-5	0,90
	RESISTENZA ALL'ABRASIONE (METODO PEI) ABRASION RESISTANCE (PEI-METHOD) RÉSISTANCE À L'ABRASION (MÉTHODE PEI) WIDERSTAND G. OBERFLÄCHENVERSCHLEISS (NACH PEI-METHODE)	UNI EN ISO 10545-7	DA 3 A 5 IN BASE AL COLORE FROM 3 TO 5, ACCORDING TO COLOR DE 3 A 5, SELON COULEUR VON 3 ZU 5, JE NACHDEM FARBE
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFFICIENT COEFFICIENT DE DILATATION THERMIQUE LINÉAIRE LINEARER WÄRMEAUSDEHNUNGSKOEFFIZIENT	UNI EN ISO 10545-8	(5,7÷5,9) X 10 ⁻⁶ /°C
	RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE RÉSISTANCE AUX ÉCARTS DE TEMPERATURE WIDERSTANDSFÄHIGKEIT GEGEN TEMPERATURSCHWANKUNGEN	UNI EN ISO 10545-9	RESISTENTE RESISTANT RÉSISTANT BESTÄNDIG
	DETERMINAZIONE DELLA DILATAZIONE DOVUTA ALL'UMIDITA' DETERMINATION OF DILATATION DUE TO HUMIDITY DILATATION DUE À L'HUMIDITÉ FEUCHTIGKEITSBESTÄNDIGKEIT	UNI EN ISO 10545-10	0,0 mm/m
	DETERMINAZIONE DELLA RESISTENZA AL CAVILLO DETERMINATION OF CRAZING RESISTANCE RÉSISTANCE CRAQUELAGE HAARRISSBESTÄNDIGKEIT	UNI EN ISO 10545-11	RESISTENTE RESISTANT RÉSISTANT BESTÄNDIG
	RESISTENZA AL GELO FROST RESISTANCE RÉSISTANCE AU GEL FROSTBESTÄNDIGKEIT	UNI EN ISO 10545-12	INGELIVO FROST-RESISTANT RÉSISTANT AU GEL FROSTBESTÄNDIG
	RESISTENZA AI PRODOTTI CHIMICI DI USO DOMESTICO E SALI PER PISCINA RESISTANCE TO CHEMICALS FOR HOUSEHOLD USE AND SWIMMING POOL SALTS/RESISTANCE AUX PRODUITS CHIMIQUES D'USAGE DOMESTIQUE ET SELS POUR PISCINE BESTÄNDIGKEIT GEGEN HAUSHALTSCHEMIKALIEN UND ZUSÄTZE FÜR SCHWIMMBÄDER	UNI EN ISO 10545-13	A
	RESISTENZA AGLI ACIDI E ALLE BASI RESISTANCE TO ACIDS AND BASES RÉSISTANCE AUX ACIDES ET AUX BASES SÄURE- UND LAUGENBESTÄNDIGKEIT		MINIMO CLASSE B MINIMUM CLASS B MINIMUM CLASS B MINIMUM KLASSE B
	RESISTENZA ALLE MACCHIE STAIN RESISTANCE RÉSISTANCE AUX TÂCHES FLECKENBESTÄNDIGKEIT	UNI EN ISO 10545-14	MINIMO CLASSE 3 MINIMUM CLASS 3 MINIMUM CLASS 3 MINIMUM KLASSE 3
	RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE RÉSISTANCE AU GLISSEMENT BESTIMMUNG DER RUTSCHFESTIGKEIT	DIN EN 16165 ANNEX A (NA.1) BAREFOOT RAMP TEST	IN BASE ALLA FINITURA ACCORDING TO THE FINISH SELON LA FINITION JE NACHDEM OBERFLÄCHE
		DIN EN 16165 ANNEX B (NA.2) SHOD RAMP TEST	
		C.o.F B.C.R./D.M. 236 14/6/89	
		DIGITAL TRIBOMETER D.C.o.F	
	REAZIONE AL FUOCO REACTION TO FIRE RÉACTION AU FEU BRANDVERHALTEN	96/603/CE	A1 _{FL} /A1

CARATTERISTICHE TECNICHE . Rivestimento

TECHNICAL CHARACTERISTICS . Wall tile

NORMA DI RIFERIMENTO SPECIFICATION REFERENCE ISO 13006/EN 14411 APPENDICE L BIII GL



CARATTERISTICA TECNICA TECHNICAL FEATURE CARACTÉRISTIQUE TECHNIQUE TECHNISCHE EIGENSCHAFT		TEST METHOD	PROGETTO BAUCER
	LUNGHEZZA E LARGHEZZA LENGTH AND WIDTH LONGUEUR ET LARGEUR LÄNGE UND BREITE	UNI EN ISO 10545-2	CONFORME COMPLIANT CONFORME ENTSPRICHT DEN ANFORDERUNGEN
	SPESSORE THICKNESS ÉPAISSEUR STÄRKE		
	RETTILINEITÀ SPIGOLI STRAIGHTNESS OF SIDES RECTITUDE DES ARÊTES KANTENGERADHEIT		
	ORTOGONALITÀ RECTANGULARITY ORTHOGONALITÉ RECHTWINKLIGKEIT		
	PLANARITÀ SURFACE FLATNESS PLANÉITÉ EBENFLÄCHIGKEIT		
	ASPETTO ASPECT APPARANCE AUSSEHEN		
	ASSORBIMENTO D'ACQUA WATER ABSORPTION ABSORPTION D'EAU WASSERAUFNAHME	UNI EN ISO 10545-3	> 10 %
	RESISTENZA A FLESSIONE FLEXURAL STRENGTH RESISTANCE À FLÉCHISSEMENT BIEGEFESTIGKEIT	UNI EN ISO 10545-4	> 600 N
	MODULO DI ROTTURA BREAKING STRENGTH MODULE DE RUPTURE UNTERBRECHUNGSMODUL		≥ 12 N/mm²
	RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE RÉSISTANCE AUX ÉCARTS DE TEMPERATURE WIDERSTANDSFÄHIGKEIT GEGEN TEMPERATURSCHWANKUNGEN	UNI EN ISO 10545-9	RESISTENTE RESISTANT RÉSISTANT BESTÄNDIG
	DETERMINAZIONE DELLA DILATAZIONE DOVUTA ALL'UMIDITA' DETERMINATION OF DILATATION DUE TO HUMIDITY DILATATION DUE À L'HUMIDITÉ FEUCHTIGKEITSBESTÄNDIGKEIT	UNI EN ISO 10545-10	0,0 mm/m
	RESISTENZA AL CAVILLO CRAZING RESISTANCE RESISTANCE À LA CRAQUELURE HAARRISSBESTÄNDIGKEIT	UNI EN ISO 10545-11	RESISTENTE RESISTANT RÉSISTANT BESTÄNDIG
	RESISTENZA ALL'ATTACCO CHIMICO (PRODOTTI CHIMICI DI USO DOMESTICO E ADDITIVI PER PISCINA) CHEMICAL RESISTANCE (CHEMICAL PRODUCTS FOR DOMESTIC USE AND ADDITIVES FOR SWIMMING POOL) RÉSISTANCE À L'ATTAQUE CHIMIQUE (PRODUITS CHIMIQUES À USAGE DOMESTIQUE ET ADDITIFS POUR PISCINE) BESTÄNDIGKEIT GEGEN CHEMIKALIEN (CHEMISCHE PRODUKTEN FÜR DEN HÄUSLICHEN GEBRAUCH UND ZUSATZSTOFFEN FÜR SCHWIMMBAD)	UNI EN ISO 10545-13	MINIMO CLASSE B MINIMUM CLASS B MINIMUM CLASSE B MINIMUM KLASSE B
	RESISTENZA ALLE MACCHIE STAIN RESISTANCE RÉSISTANCE AUX TÂCHES FLECKENBESTÄNDIGKEIT	UNI EN ISO 10545-14	MINIMO CLASSE 3 MINIMUM CLASS 3 MINIMUM CLASSE 3 MINIMUM KLASSE 3
	REAZIONE AL FUOCO REACTION TO FIRE RÉACTION AU FEU BRANDVERHALTEN	96/603/CE	A1 _{FL} /A1

CONDIZIONI GENERALI DI VENDITA

OGGETTO DELLA FORNITURA. La fornitura comprende esclusivamente quanto indicato nella conferma d'ordine. Eventuali caratteristiche e dati risultanti da cataloghi o illustrazioni sono sempre approssimativi ed è quindi facoltà della Venditrice apportare quelle variazioni che si ritenesse-ro opportune senza obbligo di preavviso.

ORDINI. Sono sempre impegnativi per il Compratore: la Venditrice sarà vincolata solo dopo la conferma scritta. Si intende comunque che ogni ordine viene fatto con la completa accettazione da parte del Compratore di tutte le condizioni generali stabilite dalla Venditrice. Nell'ordinazione dovranno essere contemplati soltanto articoli di produzione corrente: non saranno comunque oggetto di conferma quei materiali per i quali la Venditrice in dipendenza di esigenze interne o di mercato, ha ritenuto opportuno sospendere la produzione. Ogni ordine deve essere inoltrato per iscritto, anche se, per ragioni di urgenze dovesse essere preceduto da comunicazione telefonica.

TRATTATIVE. Quanto contemplato nella conferma della Venditrice annulla eventuali accordi o trattative che non siano riportati nella conferma stessa.

TERMINE DI CONSEGNA. Decorre dalla data di conferma d'ordine e deve intendersi come approssimativo: esso non costituisce comunque condizione essenziale e può essere prorogato di diritto dalla Venditrice per cause indipendenti dalla proprio volontà.

SPEDIZIONE. La spedizione si intende effettuata al momento in cui la fornitura viene messa a disposizione dell'acquirente o all'atto della consegna al vettore. Sono ammesse spedizioni anche parziali senza che ciò debba costituire per il Cliente causa di ritardo.

TRASPORTO. La merce, salvo specifico patto contrario scritto, è sempre venduta franco Stabilimento Progetto Baucer S.P.A. e viaggia a rischio e pericolo del Compratore anche se la Venditrice si fosse assunta l'onere della consegna a domicilio. Il Compratore è tenuto a precisare al momento dell'ordine dettagliate modalità di trasporto: la Venditrice spedisce la merce col mezzo ritenuto più opportuno qualora mancassero preventive indicazioni al riguardo, senza che ciò costituisca per il Compratore motivo di reclamo.

ASSICURAZIONE. Se richiesta è sempre a carico dell'acquirente.

IMBALLO. Salvo accordi diversi, preventivamente accettati dalla Venditrice, l'imballo sarà sempre in cartoni: avvenuta la consegna all'acquirente o al vettore senza reclami o riserve, cessa ogni responsabilità della Venditrice. Gli Europallet verranno addebitati in fattura a 10,00 €/cad. con possibilità di reso, previa richiesta di autorizzazione, con trasporto a carico dell'acquirente.

RECLAMI. I reclami relativi ad eventuali ammanchi o rotture dovranno essere fatti esclusivamente al vettore: qualunque altro reclamo relativo alla natura e caratteristiche del materiale dovrà essere tempestivamente inoltrato alla Venditrice a mezzo lettera raccomandata, non oltre in ogni caso 10 gg. dal ricevimento della merce. Trascorso tale termine si intende che la merce è stata vista ed accettata nello stato in cui si trova.

CARATTERISTICHE MATERIALI. Le tonalità dei colori campionati hanno carattere puramente indicativo, così come la possibilità di ripetere tonalità precedentemente fornite, non rappresenta impegno per la fornitrice e motivo di reclamo per l'acquirente.

GARANZIA. La Venditrice garantisce la qualità di quanto fornito conformemente alle scelte richieste dal Compratore: si impegna a sostituire in pari quantità quei materiali che, a suo insindacabile giudizio, dovessero presentare difetti tali da non essere considerati conformi all'ordine, senza peraltro essere tenuta a risarcimento di danni diretti o indiretti di qualsiasi ragione. La garanzia non è trasferibile ed è valida soltanto nei confronti dell'acquirente cui è intestata la fattura di vendita.

CONTESTAZIONI. Nel modo più assoluto non saranno presi in esame i reclami riferentisi a materiali già in opera. In ogni caso, anche qualora il Compratore ritenesse di poter vantare reclami o diritti, non sono ammissibili ritardi o sospensioni di pagamento in corso.

INADEMPIENZE E INSOLVENZE. In caso di mancato o ritardato pagamento totale o parziale, sarà facoltà della Venditrice risolvere in tutto o in parte qualsiasi contratto in atto, facendo valere ogni suo diritto.

PREZZI. Si intendono sempre riferiti al listino in vigore al momento della conferma della Venditrice. Sono sempre relativi a merce franco stabilimento e non comprendono quindi altri oneri come I.V.A bolli o tasse di qualsiasi natura, che saranno sempre a carico del Compratore.

PAGAMENTI. I pagamenti dovranno essere effettuati come indicati nella conferma d'ordine: a tutti gli effetti il luogo del pagamento resta fissato nella sede di Progetto Baucer S.P.A. anche se effettuati a mezzo di personale autorizzato, rimessa diretta, tratte autorizzate o effetti.

La Venditrice ha facoltà di porre in circolazione i titoli ricevuti in pagamento, i quali si intendono sempre accettati prosolvendo e salvo buon fine. L'inosservanza dei termini di pagamento dà diritto alla Venditrice:

- di esigere gli interessi di mora al tasso commerciale corrente più le spese;
- di emettere tratte ritenendole autorizzate in luogo dei pagamenti pattuiti per rimessa diretta;
- di sospendere ogni evasione di ordini in corso;
- in caso di protesti di esigere a vista l'importo totale dovuto.

SPESE TRATTE. Gli oneri relativi al bollo delle tratte emesse dalla Venditrice sono a carico dell'acquirente e saranno conteggiati in fattura e comprese nella tratta stessa.

FORO. Qualsiasi controversia dipendente o conseguente da contratti con Progetto Baucer S.P.A., anche se riferibili ad affari trattati da propri dipendenti o incaricati fuori dalla propria Sede, unico Foro competente è quello di Reggio Emilia.

RISERVA DI PROPRIETÀ. La merce resta di proprietà di Progetto Baucer S.P.A. fino a suo completo pagamento.

GENERAL SALE CONDITIONS

OBJECT OF THE SUPPLY. The supply includes what indicated in the order confirmation only. Given features and information in catalogues or illustrations are always approximate and it is therefore the seller's right to make any variations considered necessary without advance warning.

ORDERS. These are always binding for the purchaser: the seller shall only be committed after written confirmation. It is, however, understood that each order is placed with the purchaser's full acceptance of all general conditions established by the seller. Articles of current production only shall be contemplated in the order: those production's materials of which the seller has considered it advisable to suspend owing to internal or market requirements shall not therefore be subject to confirmation.

Every order shall be made in writing although this can be preceded by a telephone call in the event of urgent need.

NEGOTATION. Everything indicated in the seller's confirmation voids an agreement or negotiation which may not be included in the confirmation itself.

DELIVERY TERM. This runs from the date of the order confirmation and shall be considered as approximate: it shall not, in any case, be considered an essential condition and may be extended by the seller in the event of unforeseen circumstances.

DISPATCH. Dispatch is understood to have been made the moment in which the goods are paced at the purchaser's disposal on deliver to the carrier. Partial dispatches are also permitted without this being considered by the customer as cause of delay.

TRANSPORT. Except specific written agreement, which tells the contrary, the goods are always understood as having been sold ex works Progetto Baucer S.P.A. and travel at the purchaser's risk even when the seller has assumed the charge of delivery at the purchaser's. The purchaser undertakes to live details about the means of transport when placing the order: failing this, the seller shall dispatch the goods via the means considered the most opportune without this entitling the purchaser to make claims.

INSURANCE. If requested, is always under the purchaser's charge.

PACKAGING. Except different agreement accepted by the seller packaging shall always be in boxes: all seller's responsibilities shall cease once delivery has been made to the purchaser or carrier without claims or reserves. We will charge 10€/each Europallet on invoice, with the possibility of returning them, under request of authorisation; transport costs are at the expense of the customer.

CLAIMS. Claims about missing goods or breakages shall only be made to the carrier. Any other claim concerning the nature or features of the material shall be immediately forwarders to the seller by means of registered letter no later than 10 days following receipt of goods themselves. Once this terms has elapsed the goods shall be understood to have been examined and accepted as they are.

FEATURES OF THE MATERIALS. The shades of the sample colours are purely indicative while the possibility of repeating previously supplied colour tones shall not be binding for the seller and shall not entitle the purchaser to make claims.

GUARANTEE. The seller guarantees the quality of the supplied materials according to the grades requested by the purchaser: the seller undertakes to replace in equal quantities those material which, according to his final judgement, present defects as to be considered not in compliance with the order, without, moreover, being obliged to refund of direct or indirect damages for any reason whatsoever.

The guarantee cannot be transferred and shall only be valid for the purchaser to whom the sales invoice is made for.

DISPUTES. In no case shall claims pertaining to already laid materials be considered. Moreover, in no case shall delays or suspensions of payments in progress be permitted even if the purchaser considers himself entitled to make claims.

DEFAULTS AND INSOLVENCIES. In case of total or partial unfulfilled or delayed payment the seller shall have the right to completely or partially withdraw from a contract in progress and to demand all his rights.

PRICES. These are always understood to refer to the price list in force at the moment of the seller's confirmation.

They always pertain to goods delivered ex works and do not, therefore, include other chares such as VAT, stamps or taxes of any nature which shall be under the purchaser's charge.

PAYMENTS. Payment shall always be fulfilled as indicated on the order confirmation: in any case, the place of payment shall always be the registered offices of Progetto Baucer S.P.A. even if it's made through authorized staff's direct remittance, authorized drafts or bills. The seller has the rights to circulate the instruments received in payment which shall always be understood to have been accepted pro solvendo and subject to collection. Failure to comply with the terms of payment entitles the seller to:

- exact the arrears interests at the current commercial rate, plus expenses;
- issue drafts, considering them authorized in place of the agreed payments by direct remittance;
- suspend fulfilment of orders in progress;
- in the event of protests, to exact the total due sum on sight.

DRAFT EXPENSES. Charges pertaining to the stamps on the drafts issued by the seller shall be at the Purchaser's charge, calculated in future and included in the draft itself.

COMPETENT COURT. The only competent court shall be that of Reggio Emilia for all disputes resulting from or following contracts with Progetto Baucer S.P.A. even when they concern business negotiated by employees of the company or authorized persons outside the registered offices.

RESERVE OF PROPERTY. All goods shall remain the property of Progetto Baucer S.P.A until payment is made in full.

ISTRUZIONI PER LA CURA E LA MANUTENZIONE DEL GRES PORCELLANATO

PULIZIA FINALE DOPO L'INSTALLAZIONE

Leggere sempre attentamente le istruzioni fornite dal produttore dello stucco che si sta utilizzando per la posa delle piastrelle. Seguendo le indicazioni e le tempistiche fornite dal produttore, spazzare il pavimento. Entro 48 ore dalla stuccatura e prima che lo stucco indurisca definitivamente, bagnare il pavimento con i detergenti consigliati in etichetta o scheda tecnica dello stucco. Usa l'esatta diluizione del detergente suggerito dal produttore stesso, adatto alla tua superficie (liscia o ruvida). Stendere la soluzione di detergente utilizzando un mop o una spazzola rotante per grandi superfici utilizzando i dischi idonei. Lasciare agire la soluzione per i tempi suggeriti dal produttore del detergente. Risciacquare con acqua tiepida e panni puliti e ripetere più volte fino ad eliminare tutte le macchie ed i residui di stucco. Assicurarsi di cambiare più volte l'acqua di risciacquo. Completare la pulizia con l'operazione di asciugatura. Prestare attenzione per evitare il contatto della soluzione detergente con altri materiali (metallo, marmo, ecc.). Fare sempre attenzione ed utilizzare i DPI indicati dal produttore dei detergenti.

ATTENZIONE!!

Lo stucco epossidico non può essere pulito a completo indurimento se non meccanicamente con rischi per la superficie delle piastrelle. Per maggiori informazioni e consigli, consultare i suggerimenti del produttore della boiaccia sui tempi delle operazioni di pulizia. Bisogna fare attenzione ai prodotti intarsiati, lucidati ed antiscivolo. Nel particolare per i prodotti antiscivolo, l'utilizzo di una macchina lavapavimenti abbinato all'azione di un detergente acido aiuta a raggiungere gli spazi tra piastrelle adiacenti ed a pulirle adeguatamente. Se tale operazione di pulizia non viene eseguita, o se tale pulizia viene eseguita troppo tardi, il residuo di stucco crea un film estremamente assorbente, che trattiene lo sporco, rendendo difficile la pulizia della superficie e determina un progressivo cambiamento dell'aspetto iniziale della piastrella. In questo caso Progetto Baucer s.p.a. non sarà responsabile per eventuali danni causati alla superficie.

CURA E MANUTENZIONE DELLE PIASTRELLE

Se si seguono le regole di pulizia dopo l'installazione, la manutenzione ordinaria, ovvero la pulizia quotidiana per rimuovere lo sporco dal traffico e l'uso generale della superficie piastrellata, è ragionevolmente facile. Ricordiamo che il gres porcellanato è un prodotto dalle ottime caratteristiche tecniche che consentono il massimo grado di resistenza all'usura meccanica e resistenza agli acidi (ad eccezione dell'acido fluoridrico e suoi derivati) ed agli alcali. La manutenzione ordinaria deve essere eseguita utilizzando detergenti specializzati per rimuovere le macchie, ma questi detergenti non devono lasciare residui di cera, film o membrana che modifichino la superficie propria della piastrella. Risciacquare bene con abbondante acqua pulita dopo la procedura di pulizia. Si sconsiglia l'uso di prodotti che dichiarano di “non necessitare di risciacquo”.I prodotti dai colori vivaci, in particolare le piastrelle bianche e soprattutto quelle con finitura lucida o levigata, sono più delicati e tendono a macchiarsi più facilmente rispetto alle piastrelle più scure. È necessario ricordare che questi particolari pro-

dotti richiedono un'attenta manutenzione. Si informa che la normativa ISO 13006 allegato G, relativa alla Resistenza alle macchie (ISO 10545-14), non copre le macchie di gomma (scarpe, tacchi, tappetini, etc ...) soprattutto dove questo tipo di macchie sono frequenti. Pertanto, Progetto Baucer s.p.a. non sarà ritenuto responsabile per tali danni alla superficie di questi prodotti. Tutti i tipi di superficie della gamma Mariner possono essere lavati con acqua pulita e detergente appropriato. Si consiglia una pulizia periodica con prodotti basici o un prodotto basico micro-schiumogeno per gres porcellanato, seguita da un accurato risciacquo ed asciugatura.

PULIZIA EXTRA

Eventuali macchie o segni possono essere rimossi abbastanza facilmente poiché il gres porcellanato ha proprietà di assorbimento molto basse e resiste agli acidi ed alle basi. A seconda del tipo di macchia, puoi usare:

- ACIDI per macchie INORGANICHE,
- BASI per tinte ORGANICHE,
- SOLVENTI per tinte SINTETICHE.

Deve essere evitato l'uso di comuni acidi aggressivi (come ad esempio l'acido muriatico). Questi prodotti rimuovono i residui di stucco ma danneggiano anche irrimediabilmente lo stucco all'interno del giunto. Prestare attenzione anche a tutti i prodotti contenenti ACIDO FLUORIDO (HF) IN QUANTO DANNEGGIANO IRREPARABILMENTE TUTTI I TIPI DI SUPERFICIE CERAMICHE E VETROSE. Per informazioni sui prodotti adeguati al tipo di macchia, facilmente reperibili in commercio, fare riferimento alla scheda tecnica del produttore.

ATTENZIONE!!

I suggerimenti di cui sopra sono il risultato di ricerche, test di laboratorio e diversi anni di esperienza. Tuttavia, le caratteristiche di pulizia dei materiali possono variare sensibilmente a seconda delle diverse modalità di posa, condizioni di utilizzo, tipologia di superficie e destinazione. Come regola generale, maggiori sono i valori di antiscivolo delle piastrelle, maggiormente possono sorgere gli inconvenienti di pulizia. L'operatore professionale addetto alla manutenzione ed alla pulizia dovrà sempre verificare lo stato della superficie prima di procedere con qualsiasi operazione di pulizia e / o manutenzione. Si consiglia di testare alcune piastrelle prima dell'installazione. Progetto Baucer s.p.a. declina ogni responsabilità con riferimento ad operazioni di pulizia e manutenzione in caso di condizioni di utilizzo gravose (quali officina meccanica o locali che presentino residui oleosi o impronte di pneumatici), cattiva installazione o errate operazioni di pulizia. Resta inteso che Progetto Baucer non sarà responsabile per alcun evento, danno o difetto dovuto ad errata posa delle piastrelle, ad errate operazioni di pulizia e manutenzione o ad inadeguata scelta del tipo di materiale da posare o degli adesivi utilizzati in una determinata destinazione d'uso.

CARE AND MAINTENANCE INSTRUCTIONS FOR PORCELAIN TILES

FINAL CLEANING AFTER INSTALLATION

Always read carefully the instructions provided by the manufacturer of the grout that you are using for the installation of your tiles. Following the timing indications of the manufacturer, then sweep the floor. Within 48 hours from grouting and before the grout hardens definitively, wet the floor with the cleaning agents recommended on the label or technical sheet of the grout. Use the exact dilution of the cleaning agent suggested by the producer itself, suitable for your surface (smooth or textured). Spread the solution especially made for stoneware using a mop or a rotary brush for large surfaces, and featuring suitable discs, and let the solution work for the timing suggested by the producer of the cleaning agent. Rinse with warm water and clean cloths and repeat several times until all stains and residues have been eliminated. Make sure to change rinsing water several times. Complete by drying. Pay attention to prevent contact of the cleaning solution with other materials (metal, marble, etc.). Always take care to use the PPE indicated by the manufacturer of cleaning agents.

ATTENTION!!

Epoxy-Based grout cannot be cleaned when it has completely hardened other than mechanically with risks to the surface of the tiles. For more information and recommendations, consult the grout manufacturer suggestions about the timing of cleaning operations. Care must be taken on inlaid, polished and anti-slip products. In particular for anti-slip products, the use of a floorwashing machine combined with the action of an acid detergent helps reach the spaces between adjacent tiles and clean them properly. If such a cleaning procedure is not carried out, or if such cleaning is carried out too late, the grout residue creates an extremely absorbent film, which holds dirt, making the surface difficult to clean: in this case, Progetto Baucer s.p.a. will not be liable for any damage caused to the surface.

CARE AND MAINTENANCE OF TILES

If the cleaning rules after installation are followed, routine maintenance, i.e. everyday cleaning to remove dirt from traffic and general use of the tiled surface, is reasonably easy. We would like to remind you that porcelain stoneware is a product with excellent technical features which allow for the highest grade of mechanical wear and resistance to acids (except for hydrofluoric acid and its derivatives) and alkalis. Ordinary maintenance must be carried out using specialist detergents to remove stains, but these detergents must not leave a wax, film or membrane residue that modify the own surface of the tile. Rinsing well with plenty of clean water after cleaning procedure. We advise against the use of products which state that they “do not need rinsing”. Bright colored products, in particular white tiles, especially those with a polished or honed finish, are more delicate and they tend to stain more easily than darker tiles. It is necessary to remember that these particular products require careful maintenance. We would like to inform you that, the ISO 13006 annex G standards, concerning Resistance to staining (ISO 10545-14), do not cover rubber stains (shoes, heels, mats, etc...) especially where these kinds of stains are frequent. Therefore, Progetto Baucer s.p.a. will

not be held liable for any such damage to the surface of these products. All types of surface of the brand Mariner range can be washed with clean water and the appropriate cleaning agent. We recommend periodical cleaning with basic products or a micro-foaming basic product for porcelain stoneware, followed by thorough rinsing and drying.

EXTRA-DUTY CLEANING

Any stains or marks can be removed quite easily since porcelain stoneware has very low absorption properties and resists acids and bases.

Depending on the type of stain, you can use:

- ACIDS for INORGANIC stains,
- BASES for ORGANIC stains,
- SOLVENTS for SYNTHETIC stains.

The use of common aggressive acids (such as muriatic acid for instance) must be avoided. These products remove residues of grout but also irreparably damage the grout within the joint. Also pay attention to all products containing HYDROFLUORIC ACID (HF) SINCE THEY IRREPARABLY DAMAGE ALL TYPES OF CERAMIC SURFACES. For information about products appropriate for the type of stain, which can be easily found on the market, refer to the producer technical sheet

WARNING


The above suggestions are a result of research, laboratory tests and several years' experience. However, the cleaning features of the materials may vary significantly according to the different installation methods, conditions of use, types of surface and destination. As a general rule, the higher the anti-slip values of the tiles are, the greater cleaning inconveniences may arise. The professional operator in charge of maintenance and cleaning shall always check the surface condition before proceeding with any cleaning and/or maintenance operation. We suggest to test some tiles before installation. Progetto Baucer s.p.a. declines any liability with reference to cleaning and maintenance operations in case of heavy conditions of use (such as mechanical workshop or spaces presenting oily residues or tyre marks), bad installation work or wrong cleaning operations. It is agreed that Progetto Baucer shall not be liable for any event, damage or defect due to wrong installation of the tiles, faulty cleaning and maintenance operations or inadequate choice of the type of material to be laid or of the adhesives used in a certain destination of use.

POSA SOPRAELEVATA

INSTALLATION ONTO FLAT SURFACES (RAISED LAYING)


Ad oggi non esiste una normativa specifica per i pavimenti sopraelevati da esterno, si rimanda pertanto al professionista progettista un'attenta valutazione dei requisiti del progetto. Progetto Baucer suggerisce l'utilizzo di supporti aggiuntivi sotto le piastrelle (5° supporto centrale), come da schema sotto riportato.

Posa sopraelevata 60x60 ± 2 cm
24"x24" $\pm \frac{3}{4}$ " Installation onto flat surfaces
(raised laying)



To date, there is no existing regulatory standard regarding outdoor raised floors. Therefore, the Customer/Designer/Project Manager has to arrange for a careful assessment of the project and its requirements. Progetto Baucer recommends the adoption of additional supports under the tiles (5th central support), as per diagram below.

Posa sopraelevata 60x90 ± 2 cm
24"x36" $\pm \frac{3}{4}$ " Installation onto flat surfaces
(raised laying)



POLITICA DELLA QUALITÀ

QUALITY POLICY

Progetto Baucer è innovazione continua.

Affacciata in un panorama in costante evoluzione, Progetto Baucer insegue con impegno e dedizione l'obiettivo della Qualità attraverso l'instancabile miglioramento delle tecnologie utilizzate e della formazione della sua squadra.

Il nostro obiettivo primario è migliorare ancora e sempre; nel rispetto dell'altissima Qualità di Prodotto e di Servizio offerti, mantenendo elevati standard di Sicurezza nel Lavoro e una politica di Sostenibilità e Rispetto per tutto ciò che ci circonda.

Il nostro lavoro è quotidianamente spinto da obiettivi ambiziosi, ma sostenuto dalla certezza che solo grazie all'impegno di tutta la squadra di collaboratori e partners aziendali, questi possano essere raggiunti.

Dando vita e concretezza alla sempre più nominata Sostenibilità, Progetto Baucer produce ottimizzando al massimo ogni suo processo, avvalendosi di tecnologie di ultima generazione che consentono un elevato risparmio delle risorse naturali ed energetiche. Pannelli solari, turbina di cogenerazione ed un puntuale reinserimento all'interno del ciclo produttivo di tutti gli scarti di lavorazione, sono solo un esempio delle azioni che l'azienda attua nel rispetto dell'ambiente.

Progetto Baucer, partendo dalla proprietà sino ad ogni singolo elemento della sua squadra, vive e lavora all'interno del proprio territorio di origine, che ama e rispetta.

Proprio la consapevolezza che un ambiente migliore, nel significato più ampio del termine, migliora la qualità della vita di tutti spinge la Direzione aziendale a promuovere numerose iniziative volte alla coesione dell'intero gruppo di attori dei processi aziendali e dell'intera filiera circostante.

L'etica ed il rispetto della persona, la passione per quello che si fa, permettono a questa speciale realtà aziendale di sentirsi propriamente come una grande famiglia.



Progetto Baucer is synonym of continuous innovation.

Surrounded by the constantly evolving background, Progetto Baucer follows with commitment and dedication its Quality goal, through tireless improvement of used technologies and team formation.

Our main aim is evolving again and again; in respect of highest Quality of our Products and Services, keeping high standards of Security at Work and a strong policy of Sustainability and Respect of everything that surrounds us.

Our everyday work is pushed by ambitious goals, but it is also sustained by the certain feelings, that, thanks to the effort of the whole team of our Partners and Coworkers, these goals can be achieved.

Giving life and concreteness to the more and more frequently mentioned Sustainability, Progetto Baucer optimizes at maximum every production process, thanks to last generation technologies, which allow important savings of natural and energy resources. Solar panels, turbine cogeneration system, and constant re-using of production wastes into the production cycle are just a few of many actions and efforts, that the Company implements for the environmental protection.

Progetto Baucer, from its ownership to every team-member, lives and operates in its original land with love and respect.

The consciousness that a better environment, in the vastest meaning of the word, improves the quality of life of all of us, inspires the Company Directors to implement many actions which contribute to cohesion of the Company's stakeholders taking part in various business processes and whole production chain.

Ethics and respect for persons, working with passion, allow this special Company to feel like being one big family.

CERTIFICAZIONI

CERTIFICATIONS

Il marchio “Ceramics of Italy” è il marchio distintivo dell’industria ceramica italiana. Identifica i prodotti di ceramica MADE IN ITALY ed il sistema di valori sociali, ecologici ed estetici propri delle aziende italiane. Il marchio “Ceramics of Italy” valorizza questo importante patrimonio storico, culturale e produttivo.



“Ceramics of Italy” mark is the distinctive mark of the Italian ceramic tile industry. It identifies the “MADE IN ITALY” ceramic products and the Italian companies’ system of social, ecological and aesthetic values. “Ceramics of Italy” mark enhance the value of this important historical, cultural and manufacturing heritage.

Progetto Baucer assolve agli obblighi derivanti dalla marcatura CE richiesta dall’Unione Europea a salvaguardia della salute e della sicurezza delle persone.



Progetto Baucer fulfills the obligations which arise from CE labelling, requested from the European Union in order to safeguard people’s safety and health.

Progetto Baucer assolve agli obblighi derivanti dalla marcatura UKCA, come richiesto dalle normative vigenti nel Regno Unito, garantendo la conformità del suo prodotto.



Progetto Baucer fulfills the obligations arising from the UKCA marking, as required by the United Kingdom regulations, granting the compliance of its product.

Our company has assessed the environmental impacts of its finished product along the entire supply chain by analyzing its life cycle according to the international EPD certification standard. This study ensures maximum transparency on the environmental performance of the product. The International EPD System, compliant with ISO 14025 and EN 15804 standards, allows the communication of information verified by third parties and based on the entire product life cycle (LCA). Thanks to this globally recognized standard, our environmental data is reliable, comparable and internationally valid. This statement supports customers and designers in more sustainable and informed decisions, while also ensuring that they earn credits for LEED certification.



La nostra azienda ha valutato gli impatti ambientali del proprio prodotto finito lungo l’intera filiera analizzandone il ciclo di vita in base allo standard internazionale di certificazione EPD. Questo studio garantisce la massima trasparenza sulle prestazioni ambientali del prodotto. Il Sistema Internazionale EPD, conforme alle norme ISO 14025 ed EN 15804, permette di comunicare informazioni verificate da enti terzi e basate sull’intero ciclo di vita del prodotto (LCA). Grazie a questo standard riconosciuto a livello globale, i nostri dati ambientali sono affidabili, comparabili e validi a livello internazionale. Questa dichiarazione supporta clienti e progettisti in decisioni più sostenibili e consapevoli, garantendo anche il raggiungimento di crediti per la certificazione LEED.

Progetto Baucer chose the Carbon Footprint certification to measure and make transparent the greenhouse gas emissions of its products throughout their life cycle. This approach, which is compliant with ISO 14067, allows us to identify areas for improvement, reduce climate impact and provide customers with clear, verifiable and credible information on our environmental performance.



Progetto Baucer ha scelto la certificazione Carbon Footprint per misurare e rendere trasparenti le emissioni di gas a effetto serra dei suoi prodotti lungo tutto il loro ciclo di vita. Questo approccio, conforme alla norma ISO 14067, ci permette di individuare le aree di miglioramento, ridurre l’impatto climatico e offrire ai clienti informazioni chiare, verificabili e credibili sulle nostre performance ambientali.

Our company describes the environmental and health performance of its product in accordance with ISO 14025, NF EN 15804+A1, NF EN 15804/CN standards. The FDES (Fiche Déclaration Environnementale et Sanitaire) by Progetto Baucer is published on the INIES database and can be consulted at the following link: www.inies.fr



La nostra azienda descrive le prestazioni ambientali e di carattere sanitario del proprio prodotto in conformità alle norme ISO 14025, NF EN 15804+A1, NF EN 15804/CN. La FDES (Fiche Déclaration Environnementale et Sanitaire) di Progetto Baucer è pubblicata sul database INIES e consultabile al seguente link: www.inies

PROGETTO BAUCER
CATALOGO GENERALE 2026

coordinamento Progetto Baucer
ambientazioni e grafica G&CO
stampa Gtafiche Antiga



